




Items Available for Immediate Shipment

Cable Tie with Clamping Rails

25297
Black Nylon

Black Cable Tie with Clamping Rails
203mm (8") Long
Max. Bundle Diameter: 45mm (1-1/2")
Width: 4.7mm (0.19")



UNIT PACKAGE: 25

- High impact and heat stabilized cable tie contains an impact modifier allowing greater flexibility and greater resistance to vibration.
- Head design contains clamping rails to provide full circumferential compression around bundles.
 - Bent tail allows for quick insertion into head.

Quik-Select II Assortments for Delivery Vehicles

6950 – Ford Transit (Rear)
15 Items, 165 Pieces

6951 – Ford Transit (Front)
18 Items, 195 Pieces

6952 – GM Express/Savana Van
21 Items, 169 Pieces

6953 – Nissan NV Van
13 Items, 175 Pieces

6954 – Mercedes Sprinter
19 Items, 259 Pieces



* SEE BULLETIN PAGES 4-6
FOR SPECIFIC INFORMATION ABOUT EACH KIT



PLEASE SEE THE FOLLOWING PAGES...

FOR OUR NEWEST BODY HARDWARE ADDITIONS +

For pricing information please login to your *Order Express* account
at www.auveco.com or contact Customer Service at mail@auveco.com





Photos Actual Size



Items Available for Immediate Shipment



25247
(GM: 11603262)
White Nylon

Door Trim Panel Retainer with Sealer
Top Head Diameter: 15mm
Bottom Head Diameter: 18mm
Stem Diameter: 8.75mm
Stem Length: 16.5mm
Overall Length: 23.6mm
Cadillac CT5 2020 - On; Escalade 2021 - On;
Chevrolet Suburban, Tahoe & GMC Yukon
2021 - On

UNIT PACKAGE: 15



25248
(GM: 11603263)
Green & White Nylon

Door Trim Panel Retainer with Sealer
Top Head Diameter: 15mm
Bottom Head Diameter: 18mm
Stem Diameter: 8.75mm
Stem Length: 16.5mm
Overall Length: 23.6mm
Cadillac CT4, CT5 2020 - On


UNIT PACKAGE: 15



25249
(GM: 11603264)
Blue Nylon

Door Trim Panel Retainer with Sealer
Top Head Diameter: 13mm
Bottom Head Diameter: 18mm
Stem Diameter: 8.75mm
Stem Length: 16.5mm
Overall Length: 24.5mm
Cadillac CT4, CT5 2020 - On

UNIT PACKAGE: 15



25217
(Chrysler: 6507009AA; Ford: W712990-S300)
White Nylon

Door Trim Panel Grommet with Sealer
Screw Size: M4.2 (#8)
Head Size: 15mm x 15mm
Stem Length: 20mm
Overall Height: 21mm
Fits into 9mm Sq. Hole
Chrysler Aspen 2009 - 2007; Dodge Durango
2009 - 2004; Jeep Commander 2010 - 2006,
Grand Cherokee 2007 - 2003, Liberty 2007
- 2002, Wrangler 2007 - On; Ford Taurus,
Taurus X & Mercury Sable 2009 - 2008

UNIT PACKAGE: 25



25219
(Chrysler: 4857182AA)
Natural Nylon

Bumper Foam Absorber Retainer
Head Diameter: 25mm
Stem Diameter: 7.5mm
Stem Length: 44.5mm
Overall Height: 47mm
Chrysler Town & Country 2016 - 2001,
Voyager 2003 - 2001; Dodge Caravan 2007 -
2001, Grand Caravan 2020 - 2001; Jeep
Grand Cherokee 2013 - On; Ram C/V 2015 -
2012

UNIT PACKAGE: 25

25220

(Chrysler: 68143484AC)
White Nylon



Sunroof Drain Tubing Clip
Holds 6mm Tubing
Head Size: 18mm x 49mm
Overall Height: 25mm
Jeep Cherokee 2014 - On

UNIT PACKAGE: 25

25212

(Lexus, Toyota & Scion:
90189-06235)
White Nylon



Bumper & Tail Lamp
Screw Grommet With Sealer
Screw Size: M4.8 (#10)
Head Diameter: 18mm
Stem Length: 16mm
Overall Height: 21mm
Fits into 9mm Sq. Hole

Lexus CT200h 2017 - 2014, IS200t, RC200t 2017 - 2016,
IS250 2015 - 2014, IS300 2016 - On, IS350 2014 - On,
LC500, NX300 2018 - On, NX200t 2017 - 2015, NX300h,
RC F 2015 - On, RC300, RX350, RX450 2019 - 2016, RC350
2019 - 2015; Toyota Avalon 2019 - On, CH-R 2017 - On,
Camry 2018 - On, Corolla 2018 - 2017, Highlander 2019 -
2014, RAV4 2012 - 2006, Yaris 2018 - 2015, Scion iM 2016

UNIT PACKAGE: 25

25213

(Toyota: 52188-33040)
Yellow Nylon



Bumper Cover Screw Grommet
with Sealer
Screw Size: M5.48 (#12)
Head Diameter: 18mm
Stem Length: 17mm
Overall Height: 18mm
Fits into 9mm Sq. Hole
Lexus NX300 2020 - 2018;
Toyota Corolla 2019 - On

UNIT PACKAGE: 25

25203

(BMW: 51-41-7-067-920)
Zinc



Torx Round Washer Head
Tapping Screw
M5-2.12 x 16mm
Drive: T20
Washer Diameter: 11mm
Window Reveal Molding
& License Plate Bracket

BMW 228i, 840, M235i, M340i, M8, X6 2020 - On, 330i,
M850i 2020 - 2019, 428i, 435i 2016 - 2014, 430i, 440i, 530
2017 - On, 535 2017 - 2011, 540 2020 - 2017, 640 2019 -
2012, 650 2017 - 2012, 740 2019 - 2011, 750 2019 - 2016,
Active Hybrid 2016 - 2012, i8 2020 - 2014, M4 2020 - 2015,
M5, M550i 2020 - 2018, M6 2017 - 2013, 760 2019 - 2017,
X3 2020 - 2011, X4, X5 2018 - 2014; Mini Cooper 2015 -
2012, Countryman 2016 - 2012, Paceman 2016 - 2013

UNIT PACKAGE: 50

25204

(BMW: 46-63-7-659-479)
Phosphate







































































Torx Round
Washer Head Screw
M4-1.75 x 14mm
Drive: T20

Washer Diameter: 8.9mm
Headlamp & Door Moulding
















BMW 528i, 550i 2013 - 2011, 535 2016 - 2011, 740L 2015,
Active Hybrid 2013 - 2012, M5 2013, X3 2017 - 2015, Z8
2003 - 2000; Mini Countryman 2016 - 2011, Paceman
2016 - 2013






































UNIT PACKAGE: 50

6950					
 <p>Ford: W716507-S300 Honda: 91560-36A-003 Orange Nylon Rear Liftgate Retainer Top Head Diameter: 13mm Stem Length: 14mm Stem Diameter: 8.5mm</p>  <p>21206</p>	 <p>Ford: W716507-S300 White Nylon Body Side & Wheel Opening Retainer Top Head Dia.: 14.5mm Middle Head Dia.: 15mm Bottom Head Dia.: 14.5mm Stem Length: 12mm</p>  <p>22269</p>	 <p>Ford: W714231-S300 Land Rover: LR013195 Retainer w/Sealer Top Head Dia.: 14.5mm Middle Head Dia.: 14.5mm Stem Diameter: 11mm Stem Length: 15mm</p>  <p>22251</p>	 <p>Ford: W715297-S300 White Nylon Door Trim Panel Retainer Top Head Dia.: 16mm Bottom Head Dia.: 22mm Stem Length: 17mm</p>  <p>21169</p>	 <p>Ford: W716569-S300 White Nylon Wheel & Body Side Moulding Clip Screw Size: M5 Length: 24.5mm Width: 12mm Height: 12.75mm</p>  <p>25189</p>	 <p>Ford: BK32-00817-AA Rocker Moulding Clip Length: 29mm Width: 19.5mm Stem Diameter: 8.5mm Fits 8.5mm Hole</p>  <p>25113</p>
 <p>Ford: W506923-S450B GM: 11561265 Specialty Thread Forming Screw M3-1.12 x 12mm Washer Diameter: 6mm Drive Type: T-10</p>  <p>25009</p>	 <p>Chrysler: 4806226-AA, 68004187-AA Ford: W710754-S439, W716460-S300 GM: 11562364 Extruded U-Nut Screw Size: #6 Height: 18mm Width: 10mm Center of Hole to Edge: 10mm</p>  <p>21187</p>	 <p>Ford: W707291-S439 GM: 11513599, 11516397 Extruded U-Nut Screw Size: M4.2-1.41 (#8) Panel Range: 0.5-2.0mm Center of Hole to Edge: 10mm</p>  <p>20339</p>	 <p>Chrysler: 6605667-AA Ford: N81540-S, W705581-S300 GM: 22189414 Extruded U-Nut Screw Size: M4.2-1.41 (#8) Head Diameter: 15/16" Stem Length: 3/4"</p>  <p>20360</p>		
 <p>Ford: W717918-SS34X Headliner Retainer Gray Nylon Head Diameter: 30mm Stem Length: 63.5mm Stem Diameter: 9.8mm</p>  <p>25182</p>	 <p>Ford: W717918-SS34X Headliner Retainer Gray Nylon Head Diameter: 30mm Stem Length: 63.5mm Stem Diameter: 9.8mm</p>  <p>25182</p>	 <p>Ford: W706635-SSW Rocker, Pillar & Fender Retainer Black Nylon Head Diameter: 26mm Stem Diameter: 7.5mm Stem Length: 23mm</p>  <p>21241</p>	 <p>Ford: W718365-S300 Front Fender, Cowl Grille, Rocker & Mudguard Push-Type Retainer Black Nylon Head Diameter: 25mm Stem Length: 24mm Fits 8.5mm Hole</p>  <p>22284</p>	 <p>Chrysler: 6503598 Ford: N807389-S, W711035-S300 GM: 15691478, 15969147, 5485676 Push-Type Retainer Screw Size: M4.2-1.41 (#8) Head Diameter: 20mm Stem Length: 20mm Fits 8mm Hole</p>  <p>17216</p>	 <p>Ford: W715197-S439 Specialty Nut w/Sealer Screw Size: M4.2-1.41 (#8) Head Size: 14mm x 23mm Stem Length: 7mm</p>  <p>22818</p>

6951					
 <p>Ford: W715197-S439 Specialty Nut w/Sealer Screw Size: M4.2-1.41 (#8) Head Size: 14mm x 23mm Stem Length: 7mm</p>  <p>22818</p>	 <p>Ford: W506945-S450B GM: 11546970 Chrysler: 6510331AA Specialty Thread Forming Screw M4-1.46 x 16mm Washer Diameter: 8.7mm Drive Type: T-20</p>  <p>25014</p>	 <p>Chrysler: 6100811 Ford: W707501-S300 GM: 10062, 11501835, 11501932, 11508900, 11509932, 11510062, 11561838 Thread Cutting Nut Stud Size: 5mm Washer Diameter: 15mm Across Flats: 10mm</p>  <p>12253</p>	 <p>Ford: W702413-S303, W702413-S307, W702413-S450B Torx Pan Head Sems* Screw Size: M4.8 (9/16) M5-2.2 x 20mm Washer Diameter: 20mm Torx Pan Head Sems*</p>  <p>22348</p>	 <p>Ford: W704875-S439 Tapping Screw M4.2-1.41 x 19mm Washer Diameter: 12.5mm Hex: 7mm</p>  <p>22549</p>	 <p>Ford: W708991-S439 Extruded U-Nut Screw Size: M4.2-1.41 (#8) Panel Range: 2mm-3.4mm Center of Hole to Edge: 9.5mm</p>  <p>22702</p>
 <p>Ford: W506923-S450B GM: 11561265 Specialty Thread Forming Screw M3-1.12 x 12mm Washer Diameter: 6mm Drive Type: T-10</p>  <p>25009</p>	 <p>Chrysler: 6510330AA Ford: W506944-S450B GM: 11546969 Specialty Thread Forming Screw M4-1.46 x 14mm Washer Diameter: 8.7mm Drive Type: T-20</p>  <p>25013</p>	 <p>Ford: W714972-S300 GM: 94748652 Quarter Panel & Exterior Trim Moulding Clip Width: 8mm Height: 15mm</p>  <p>22161</p>	 <p>Ford: W702438-S300 Radiator Grille Screw Grommet Screw Size: M4.8 (9/16) M5-2.2 x 20mm Head Diameter: 20mm Stem Length: 11mm</p>  <p>22359</p>	 <p>Ford: W703243-S300 Cowl Vent Push-Type Retainer Head Diameter: 14mm Stem Diameter: 6.3mm Stem Length: 18mm Fits 6.3mm Hole</p>  <p>25178</p>	 <p>Ford: W709995-S300, W713651-S300 Lift Gate Trim Retainer Top Head Diameter: 15mm Bottom Head Diameter: 18mm Stem Length: 14mm</p>  <p>21247</p>
 <p>Chrysler: 3691590, 4004569, 6031321, 6505411-AA, 6505425 Ford: 389258, 389358-S, W701259-S300 GM: 1021824, 14093311, 20732399, 25655537, 323264 Fender & Bumper Shield Retainer Head Diameter: 11/16" Stem Diameter: 5/16" Stem Length: 5/8"</p>  <p>10831</p>	 <p>Ford: W71712-S300 Honda: 91501-S04-003 Radiator Cover & Front Fender Push-Type Retainer Head Diameter: 20mm Stem Length: 10mm Fits 8mm Hole</p>  <p>19118</p>	 <p>Chrysler: 6506008-AA Ford: W709176-S300 GM: 15149798 Radiator, Wheelhouse, Fender & Front Bumper Cover Push-Type Retainer Head Diameter: 17mm Stem Length: 16mm Fits 6mm Hole</p>  <p>19639</p>	 <p>Chrysler: 6508863-AA Ford: W713610-S300 GM: 11589289 Air Distributor & Windshield Defroster Push-Type Retainer Head Diameter: 18mm Stem Length: 17.5mm Fits 6.5mm Hole</p>  <p>20988</p>	 <p>Chrysler: 6503598 Ford: N807389-S, W711035-S300 GM: 15691478, 15969147, 5485676 Air Baffle to Under Carriage Push-Type Retainer Head Diameter: 20mm Stem Length: 20mm Fits 8.5mm Hole</p>  <p>17216</p>	 <p>Ford: W718365-S300 Front Fender, Cowl Grille, Rocker & Mudguard Push-Type Retainer Head Diameter: 25mm Stem Length: 24mm Fits 8mm Hole</p>  <p>22284</p>

6952					
 <p>GM: 25749564 Head Diameter: 45mm Stem Diameter: 5mm Stem Length: 20mm</p> <p>21227</p>	 <p>GM: 1573971 Flange Diameter: 30mm Stem Length: 24mm</p> <p>19613</p>	 <p>GM: 1028935 Top Head Diameter: 18mm Stem Length: 24mm</p> <p>19270</p>	 <p>GM: 10121502 Chrysler: 6033082, 6033840 Ford: 390018-S, W706676-S300, W708888-SAB, W708888-SD, W709346-S300 Head Diameter: 11/16" Stem Length: 1-1/16"</p> <p>17664</p>	 <p>Chrysler: 3691590, 4004569, 6031321, 6505411-AA, 6505425; Ford: 389258, 389358-S, W701259-S300, GM: 10211824, 14093311, 20732399, 23655537, 332354 Head Diameter: 11/16" Stem Length: 5/8"</p> <p>10831</p>	
 <p>GM: 12616850 Inner Diameter: 10.5mm Outer Diameter: 19.5mm Thickness: 2.78mm</p> <p>21179</p>	 <p>Isuzu: 8-11519-408-0 GM: 3538469, 11519408, 11562588, 24100042, 88891787 Thread Size: M12-1.75</p> <p>21047</p>	 <p>GM: 11589012 M4.2-1.41 x 25mm Washer Dia.: 12.5mm Hex Size: 7mm</p> <p>22724</p>	 <p>GM: 11547420, 11570498 M4.2-1.41 x 20mm Washer Dia.: 17mm Hex Size: 7mm</p> <p>22946</p>	 <p>GM: 11546449 Thread Size: M6-1.0 Flange OD: 19mm Hex Size: 7mm</p> <p>22947</p>	 <p>Ford: W708777-S900C Thread Size: M6-1.0 Mercedes: 004-990-16-97 Rivet Diameter: 1/4"</p> <p>21286</p>
 <p>GM: 1573970 Head Diameter: 28mm Stem Length: 13mm</p> <p>19614</p>	 <p>GM: 15035237 Cowl Vent Grommet w/Sealer Head Size: 17mm x 31mm Stem Length: 16mm</p> <p>25193</p>	 <p>GM: 12375975 Rear Cargo Door Latch Rod Clip Rod Size: 4mm Fits 6mm Hole</p> <p>22453</p>			 <p>GM: 15707256 Front Fender Bracket Retainer Nut Thread Size: M6-1.0</p> <p>19317</p>
 <p>Ford: N807455-S100 GM: 11562026 Grille Clip</p> <p>23888</p>	 <p>GM: 11519069 16.5mm x 26.5mm Height: 15.5mm Fits 8mm x 25.4mm Slot</p> <p>25183</p>	 <p>GM: 15033661, 15078238 Length: 1" Width: 5/8" Height: 5/8"</p> <p>20860</p>	 <p>GM: 11548595 Thread Size: M8-1.25 Panel Range: 0.8mm-4.0mm</p> <p>22838</p>	 <p>GM: 11548596 Ford: W520832-S424, W520832-S426 Thread Size: M8-1.25 Panel Range: 0.8mm-4.0mm</p> <p>22699</p>	 <p>Ford: W520832-S424, W520832-S426 GM: 11503715, 11508241, 11515478, 11599365 Thread Size: M6-1.0 Panel Range: 0.8-4.0mm</p> <p>12575</p>

6953					
 <p>Nissan: 01281-00711 Screw Grommet w/Seal Screw Size: M4.2 (#8) & M4.8 (#10)</p> <p>20604</p>	 <p>Nissan: 01563-02923 Moulding Grommet w/Seal Head Size: 14mm x 18mm</p> <p>21688</p>	 <p>Nissan: 80897-7J100 Head Size: 17mm x 20mm Stem Length: 18mm Fits 6mm Hole</p> <p>22767</p>	 <p>Infiniti & Nissan: 01454-N5061 Tapping Screw M3.5-1.81 x 10mm Phillips Truss Head Head Outer Diameter: 13mm</p> <p>22292</p>	 <p>Hyundai & Kia: 12493-05167B Nissan: 01451-00841 Tapping Screw M4.8-1.6 x 15mm Phillips Truss Head Head Outer Diameter: 14mm</p> <p>18340</p>	 <p>GM: 11503745 Nissan: 01225-N6011 Hex Flange Nut Hex Flange Nut Thread Size: M6-1.0 Flange Diameter: 14mm Hex Size: 10mm</p> <p>19205</p>
 <p>Nissan: 66820-AX020 Push-Type Retainer Head Diameter: 14mm Stem Length: 10mm Fits 6mm Hole</p> <p>21159</p>	 <p>Ford: W715256-S300 Mazda: L33X-13-209 Nissan: 01553-06323, 01553-09933, 01553-10721 Subaru: 59114AG000 Head Diameter: 20mm Stem Length: 12mm Fits 6mm Hole</p> <p>21192</p>	 <p>Nissan: 01553-06753 Trim Panel Retaining Clip Black Nylon Head Diameter: 20mm Stem Diameter: 10mm Stem Length: 18mm</p> <p>25185</p>	 <p>Nissan: 01553-00521J, 01553-09001 Trim Panel Retainer Black Nylon Head Diameter: 20mm Stem Diameter: 9.5mm Stem Length: 15mm</p> <p>20671</p>		
 <p>Nissan: 01658-02151 Hole Plug Black Nylon Head Diameter: 40mm Fits into 30mm Hole Height: 7.5mm</p> <p>22834</p>	 <p>Nissan: 01658-02151 Hole Plug Black Nylon Head Diameter: 40mm Fits 30mm Hole Height: 7.5mm</p> <p>22834</p>	 <p>Nissan: F5846-30F00 Retainer Black Nylon Head Diameter: 30mm Stem Length: 10mm Stem Diameter: 6mm</p> <p>22898</p>	 <p>Nissan: F5846-30F00 Retainer Black Nylon Head Diameter: 30mm Stem Length: 10mm Stem Diameter: 6mm</p> <p>22898</p>		 <p>Nissan: 63848-5L300 Retainer Nut Thread Size: M5-0.8 Flange Diameter: 20mm Hex Size: 14mm</p> <p>25186</p>

6954					
 <p>BMW: 63-17-1-637-868 Mercedes: 000-988-16-25, 639-998-01-85 Cowl Vent Nut Screw Size: M3.5 (#6) Stem Length: 14mm</p>  <p>20647</p>	 <p>Mercedes: 000-991-86-98 Door Trim Panel Retainer w/Sealer Top Head Dia: 13.3mm Stem Length: 13mm Stem Diameter: 9.3mm</p>  <p>25215</p>	 <p>Mercedes: 000-991-01-98, 011-988-76-78 Door Retainer w/Sealer Top Head Dia: 13.3mm Bottom Head Dia: 17mm Stem Length: 13mm</p>  <p>22309</p>	 <p>Mercedes: 008-988-09-78 Headliner Retainer Top Head Dia: 13.5mm Stem Length: 13mm Stem Diameter: 9.5mm</p>  <p>22498</p>	 <p>Chrysler: 68009867-AA Mercedes: 001-988-03-25 Hood Insulation Retainer Head Diameter: 20mm Stem Length: 10mm Stem Diameter: 14mm</p>  <p>21105</p>	 <p>BMW: 51-41-1-973-500 Mercedes: 000-991-71-71 Trim Panel Retainer Top Head Diameter: 14mm Stem Length: 15mm Stem Diameter: 9mm</p>  <p>20253</p>
 <p>BMW: 51-11-1-908-077 Mercedes: 000-990-54-92, 000-990-54-92-9051 VW/Audi: N903591-01 Bumpet, Grille, Scuff Plate & Trim Push-Type Retainer Head Diameter: 15mm Stem Length: 15mm Fits 6.3mm Hole</p>  <p>20234</p>	 <p>GM: 90450482 Mercedes: 001-990-16-92-64 Mud Guard Push-Type Retainer Head Diameter: 19mm Stem Length: 15mm Fits 8mm Hole</p>  <p>25222</p>	 <p>BMW: 51-47-0-146-782, 51-47-0-390- 017, 51-47-1-911-992 Mercedes: 201-990-02-92 Push-Type Retainer Head Diameter: 20mm Stem Length: 14mm Fits 8.5mm Hole</p>  <p>20638</p>	 <p>Mercedes: 111-997-03-30, 111-997-03-30-64, 601-997-02-30 M14 x 1.5 Hex: 13mm Thick: 1.3mm</p> <p>Copper Gasket Inner Dia: 14.4mm Outer Dia: 19.8mm</p>  <p>18026</p>  <p>20454</p>	 <p>Mercedes: 001-991-76-70 Seat/Skoda-VW: 4A0-867-276 Moulding & Trim Fastener Height: 22mm</p>  <p>21818</p>	 <p>BMW: 07-14-7-169-847 Mercedes: 002-990-53-50 Fender & Wheel Nut Thread Size: M4.8 x 1.61 (#10) Hex Size: 10mm Flange Diameter: 22mm</p>  <p>22780</p>
 <p>Mercedes: 000-991-39-40 Int. Trim Panel Push-Type Retainer Head Diameter: 20mm Stem Length: 14mm Fits 8.5mm Hole</p>  <p>25216</p>	 <p>Mercedes: 228-990-00-92-9C76 Interior Trim Push-Type Retainer Head Dia: 20mm Stem Length: 21mm Fits 8.5mm Hole</p>  <p>25214</p>	 <p>Mercedes: 228-990-00-92-9051 Hinge Cover Push-Type Retainer Head Diameter: 20mm Stem Length: 21mm Fits 8.5mm Hole</p>  <p>25031</p>	 <p>Mercedes: 124-990-04-92 Push-Type Retainer Head Dia: 16mm Stem Length: 18mm Fits 7mm Hole</p>  <p>20909</p>	 <p>Chrysler: 6502871 Ford: N803946-S, W706350-S3000, W710752-SSC Mercedes: 1000-991-52-40 Retaining Pin Head Dia: 19/32" Stem Length: 29/32" Fits 1/4" Hole</p>  <p>14992</p>	 <p>Mercedes: 901-988-00-25 VW/Audi: 2D1867741 Retaining Pin Head Size: 15mm x 15mm Length: 31mm</p>  <p>21843</p>

You won't find this product anywhere else...

HEAD OVER TO OUR WEBSITE
TO PLACE AN ORDER TODAY!



For pricing information please login to your *Order Express* account
at www.auveco.com or contact Customer Service at mail@auveco.com