



HNI 481 - 8/21/2020

For Bulletin Archive Navigate to:

www.auveco.com/hot-new-items

1-800-354-9816

Fax: 1-800-552-8197

Connect with us



NEW ITEMS

Bulletin

Items Available for Immediate Shipment

Essential Products Assortments

The economical choice for a complete universal assortment program providing shops the most popular body hardware & specialty fasteners

Each metal drawer measures 18" wide x 12" deep x 3" high.

Each kit is pre-loaded and pre-labeled complete with sizes, product pictures, code 128 barcodes and the Auveco part numbers for ordering refills.

EPA Program 6700EPA

12 metal drawers (Listed below) and three FREE 2-96 cabinets

- 6701EPA: Body Bolts
- 6702EPA: Moulding Clips
- 6703EPA: Nylon Rivets
- 6704EPA: Specialty Rivets
- 6705EPA: Push-Type Retainers #1
- 6706EPA: Specialty Nuts
- 6707EPA: Screw Grommets & Nylon Nuts
- 6708EPA: Extruded U-Nuts
- 6709EPA: Push-Type/Screw-Type Retainers
- 6710EPA: Specialty & Tapping Screws
- 6711EPA: Hood & Single Head Retainers
- 6712EPA: J & U Nuts

8 additional metal drawer assortments available in our EPA Program

- 6713EPA: Push-Type Retainers #2
- 6714EPA: Pushnut Retainers
- 6715EPA: Door, Rocker Panel & Weatherstrip Retainers
- 6716EPA: Universal Retainers
- 6717EPA: Foreign Splash Shield
- 6718EPA: Domestic Splash Shield #1
- 6719EPA: Domestic Splash Shield #2
- 6720EPA: Specialty Screws

Custom EPA Program 6750EPA



















Includes any combination of four drawers within our EPA series and one FREE 2-96 cabinet
MUST select four assortments to qualify for the free cabinet



Detailed information on all drawers on following pages









































Visit www.auveco.com for more information or to place an order.
Questions or concerns. Contact us at 1-800-354-9816 or mail@auveco.us















ESSENTIAL PRODUCTS ASSORTMENT PROGRAM Body Bolts					
6701EPA  17034 Ford: 57030-S36 Zinc & Yellow Dichromate 1/4"-20 x 7/8" Hex Head Sems® with Dog Point Washer O.D.: 3/4" Hex: 7/16" 	 10823 Black Phosphate 1/4"-20 x 7/8" Hex Head Sems® with Dog Point Washer O.D.: 3/4" Hex: 7/16" 	 9480 Chrysler: 6025329 Phosphate 1/4"-20 x 1" Hex Head Sems® with Dog Point Washer O.D.: 5/8" Hex: 7/16" 	 15783 GM: 3846202 Phosphate 5/16"-18 x 7/8" Indented Hex Head Sems® Washer O.D.: 3/4" Hex: 1/2" Point Type: CA 	 11320 Phosphate 5/16"-18 x 1" Hex Head Sems® Washer O.D.: 7/8" Hex: 1/2" Point Type: CA 	 17035 Ford: 384931-S36 Zinc & Yellow Dichromate 5/16"-18 x 1-1/16" Hex Head Sems® with Dog Point Washer O.D.: 7/8" Hex: 1/2" 
 11109 GM: 3986997, 14011722 Phosphate 3/8"-16 x 1" Hex Head Sems® Washer O.D.: 1" Hex: 9/16" Point Type: CA 	 11110 GM: 407217, 1564180 Phosphate 3/8"-16 x 1-3/8" Hex Head Sems® Washer O.D.: 1-1/8" Hex: 9/16" Point Type: CA 	 12232 Chrysler: 6100539 Phosphate M5-0.8 x 20mm Hex Head Sems® Thread Cutting Screw with Dog Point Washer O.D.: 12mm (1/2") Hex: 8mm 	 15791 GM: 11508930 Black Fluorocarbon M6-1.0 x 16mm Hex Head Sems® Washer O.D.: 17mm (21/32") Hex: 10mm Class 9.8 & Point Type: C 	 16826 Chrysler: 34201287; AMC: 8934201287 Zinc M6-1.0 x 20mm (1") Slotted Hex Washer Hd License Plate Screw Washer O.D.: 13mm (1/2") Hex: 10mm Point Type: CA 	 12693 GM: 11502941, 11506174 Phosphate M6-1.0 x 20mm Hex Head Sems® Washer O.D.: 17mm (21/32") Hex: 10mm Class 9.8 & Point Type: CA 
 12160 Ford: N606676-S2, S100 Phosphate M6-1.0 x 22mm High Hex Head Sems® with Dog Point Washer O.D.: 19mm (3/4") Hex: 8mm Class 9.8 	 12065 GM: 11503834, 20351035 Phosphate M6-1.0 x 25mm Hex Head Sems® Washer O.D.: 17mm (21/32") Hex: 10mm Class 9.8 & Point Type: CA 	 12323 GM: 11504493 Black Polyseal M6-1.0 x 25mm Hex Head Sems® Washer O.D.: 24mm (15/16") Hex: 10mm Class 9.8 & Point Type: CA 	 12066 GM: 11503982 Phosphate M6-1.0 x 25mm Hex Head Sems® Washer O.D.: 24mm (15/16") Hex: 10mm Class 9.8 & Point Type: CA 	 12335 Ford: N606677-S36 Zinc & Yellow M6-1.0 x 28mm Hex Head Sems® with Dog Point Washer O.D.: 19mm (3/4") Hex: 8mm Class 9.8 	 12336 GM: 11503632 Phosphate M8-1.25 x 25mm Hex Washer Head Washer O.D.: 17mm (21/32") Hex: 13mm Class 9.8 & Point Type: CA 
 13613 GM: 11503619 Phosphate M8-1.25 x 25mm Hex Head Sems® Washer O.D.: 24mm (15/16") Hex: 13mm Class 9.8 & Point Type: CA 	 13614 GM: 11501188 Phosphate M8-1.25 x 30mm Hex Head Sems® Washer O.D.: 24mm (15/16") Hex: 13mm Class 9.8 & Point Type: CA 	 11641 GM: 11501193 Phosphate M10-1.50 x 40mm Hex Head Sems® Washer O.D.: 29mm (1-5/32") Hex: 15mm Class 9.8 & Point Type: CA 			

21 Varieties, 395 Pieces
























ESSENTIAL PRODUCTS ASSORTMENT PROGRAM Moulding Clips					
 21683 Nissan: 76882-EW00B White Nylon Top Head Size: 6mm x 9mm Bottom Head Diameter: 13mm Stem Length: 7mm Fits into 8mm Hole Rocker Moulding & Exterior Trim 	 20390 Toyota: 90904-67036 Blue Nylon Head Diameter: 17mm Stem Length: 17mm Fender 	 20391 Toyota: 90904-67037 Red Nylon Head Diameter: 17mm Stem Length: 13mm Fender 	 21158 GM: 11569920 Green Nylon Top Head Size: 7.5mm x 11mm Bottom Head Size: 15mm x 15mm Stem Length: 13mm Fits into 7mm Hole Fender 	 20687 Toyota: 75396-35020, 75495-35010 Blue Nylon Head Diameter: 17mm Stem Length: 10mm Rocker 	 20688 Toyota: 75397-35010 Orange Nylon Head Diameter: 17mm Stem Length: 17mm Wheel Flare 
 21136 Hyundai: 87756-2E000 White Nylon Top Head Size: 10mm x 12mm Bottom Head Size: 14mm x 20mm Stem Length: 10mm 	 22015 Hyundai: 87756-1F000 Blue Nylon Top Head Size: 10mm x 12mm Bottom Head Size: 14mm x 20mm Stem Diameter: 14mm Stem Length: 10mm Fender Flare, Rocker, Door & Exterior 	 21484 Kia: 87756-3E500 Red Nylon Top Head Size: 11mm x 13mm Bottom Head Size: 12mm x 20mm Stem Length: 10mm Wheel Flare & Body Side 	 21242 GM: 11562250 White Nylon Top Head Size: 12mm x 20mm Bottom Head Size: 12mm x 20mm Stem Length: 11mm Fits into 9mm Hole Rocker Panel 	 21244 Hyundai: 87702-H1000 White Nylon Top Head Size: 11mm x 15.5mm Bottom Head Diameter: 16mm Stem Length: 12mm Rocker 	 21374 GM: 11571175; Chrysler: 68172491AA Gray Nylon Top Head Size: 12mm x 20mm Bottom Head Size: 12mm x 20mm Stem Length: 11mm Fits into 9mm Hole Rocker 
 21316 GM: 94530742 White Nylon Top Head Size: 11mm x 15mm Bottom Head Diameter: 16mm Stem Length: 10mm Fits into 8mm Hole Fender, Wheel, Side & Bumper 	 22124 Ford: W716352-S300 White Nylon Top Head Size: 12mm x 20mm Bottom Head Size: 12mm x 20mm Stem Length: 14mm Fits into 9mm Hole Rocker Panel & Door 	 21668 Ford: W715201-S300 White Nylon Top Head Size: 12mm x 20mm Bottom Head Size: 15mm x 20mm Stem Length: 15mm Fits into 10mm Hole Rocker Panel 	 20774 GM: 25724529 White Nylon Top Head Size: 9/16" x 13/16" Bottom Head Size: 5/8" x 13/16" Stem Length: 9/16" Fits into 3/8" Hole Rocker & Grille 	 22099 Ford: W716351-S300 White Nylon Top Head Size: 12mm x 20mm Bottom Head Size: 12mm x 20mm Stem Length: 14mm Fits into 9mm Hole Wheel Opening & Rocker 	 20607 GM: 10323057 White Nylon Top Head Size: 12mm x 20mm Bottom Head Size: 12mm x 24mm Stem Length: 14mm Fits into 9mm Hole Rocker Panel 
 20377 GM: 11518357 White Nylon Top Head Size: 9/16" x 13/16" Bottom Head Size: 13/16" x 13/16" Stem Length: 9/16" Fits into 7/16" Hole Rocker Panel 	 21285 Nissan: 76882-EG01 Black Nylon Top Head Size: 10mm x 15mm Bottom Head Diameter: 18mm Stem Length: 12mm Fits into 8mm Hole Rocker Panel 				

20 Varieties, 180 Pieces














































6703EPA				ESSENTIAL PRODUCTS ASSORTMENT PROGRAM				Nylon Rivets				Auveco [®] PRODUCTS			
13755 Chrysler: 6500898; GM: 15718794 Black Nylon Hole Diameter: 13/64" Rivet Length: 1" Grip Range: 15/64-25/64" Flange Diameter: 15/32" Flange Thickness: 1/16" Overall Length: 2" Used with: 13756 		14004 Black Nylon Hole Diameter: 15/64" Rivet Length: 1-1/8" Grip Range: 11/64-11/32" Flange Diameter: 1/2" Flange Thickness: 3/32" Overall Length: 2-3/64" Used with: 13756 		13748 Black Nylon Hole Diameter: 13/64" Rivet Length: 25/32" Grip Range: 1/8-15/64" Flange Diameter: 15/32" Flange Thickness: 1/16" Overall Length: 1-7/8" Used with: 13756 		13747 Black Nylon Hole Diameter: 13/64" Rivet Length: 23/32" Grip Range: 1/16-11/64" Flange Diameter: 15/32" Flange Thickness: 1/8" Overall Length: 1-7/8" Used with: 13756 									
14023 Black Nylon Hole Diameter: 15/64" Rivet Length: 1-5/32" Grip Range: 5/32-5/16" Flange Diameter: 5/8" Flange Thickness: 3/32" Overall Length: 2-1/8" Used with: 13756 		20754 Black Nylon Hole Diameter: 6mm Rivet Length: 22mm Grip Range: 2.5-4.8mm Flange Diameter: 20mm Flange Thickness: 2.5mm Overall Length: 53mm Used with: 13756 		13751 Black Nylon Hole Diameter: 1/4" Rivet Length: 1-3/32" Grip Range: 5/32-13/32" Flange Diameter: 1/2" Flange Thickness: 3/32" Overall Length: 2-3/16" Used with: 13756 		13750 Black Nylon Hole Diameter: 1/4" Rivet Length: 1-3/32" Grip Range: 5/32-13/32" Flange Diameter: 21/32" Flange Thickness: 3/32" Overall Length: 2-3/16" Used with: 13756 									
17101 Black Nylon Hole Diameter: 1/4" Rivet Length: 1-1/4" Grip Range: 5/16-13/32" Flange Diameter: 21/32" Flange Thickness: 3/32" Overall Length: 2-9/32" Used with: 13756 		18108 Black Nylon Hole Diameter: 1/4" Rivet Length: 1-1/8" Grip Range: 5/32-3/8" Flange Diameter: 11/16" Flange Thickness: 3/32" Overall Length: 2-7/32" Used with: 13756 		13753 Black Nylon Hole Diameter: 17/64" Rivet Length: 25/32" Grip Range: 3/32-3/16" Flange Diameter: 23/32" Flange Thickness: 3/32" Overall Length: 1-7/8" Used with: 13756 		13752 Black Nylon Hole Diameter: 17/64" Rivet Length: 25/32" Grip Range: 3/32-3/16" Flange Diameter: 1/2" Flange Thickness: 3/32" Overall Length: 1-7/8" Used with: 13756 									

12 Varieties, 240 Pieces




































6704EPA				ESSENTIAL PRODUCTS ASSORTMENT PROGRAM				Specialty Rivets				Auveco [®] PRODUCTS			
20788 Toyota: 90269-04051, 90269-A0006 Diameter: 1/8" (3.2mm) Grip: 3/64" - 1/8" (1.2mm - 3.4mm) Flange Diameter: 15/64" (6mm) Aluminum Rivet w/Plastic Cap Steel Mandrel 		20627 Toyota: 90269-04053 Diameter: 1/8" (3.2mm) Grip: 3/64" - 3/16" (1mm - 4.8mm) Flange Diameter: 5/16" (8mm) Aluminum Rivet (Black) with Plastic Cap Steel Mandrel (Black) Mouldings 		16834 Ford: N805759-S100 Diameter: 1/8" Grip: 1/8"-3/16" Flange Diameter: 3/8" Aluminum Rivet (Black) & Mandrel Windshield Side Rail 		17615 Chrysler: 6032856 Diameter: 1/8" Grip: 3/16"-3/8" Flange Diameter: 5/16" Aluminum Rivet (Black) & Steel Mandrel Body Side Moulding & Universal Applications 		18167 Ford: N804193-S100; GM: 9441592, 15672713 Diameter: 1/4" Grip: 3/32"-9/64" Flange Diameter: 3/4" Aluminum Rivet (Black) & Steel Mandrel Frnt Dr Handle, Dr Lck Actuator, Rocker Panel 		20971 Mazda: BBM450-355; Mercedes-Benz: 003-990-94-97 Split-Type Rivet Diameter: 5/32" (4mm) Grip: 3/64" - 9/32" (1mm - 7mm) Flange Diameter: 5/16" (8mm) Aluminum Rivet & Mandrel 					
20629 Chrysler: 6036148-AA Split-Type Rivet Diameter: 5/32" Grip: 3/64" - 1/4" Flange Diameter: 7/16" Aluminum Rivet (Black) & Mandrel Front Bumper, Trim & Instrument Panel 		18461 Ford: N807620-S100; GM: 10131511 Split-Type Rivet Diameter: 5/32" Grip: 3/64"-1/4" Flange Diameter: 5/16" Aluminum Rivet (Black) & Mandrel Wheel Openings, Bumper Cover, Grille & Rocker Moulding 		17006 VW: N900-845-01 Diameter: 5/32" Grip: 1/4" - 3/8" Flange Diameter: 15/32" Aluminum Rivet (Black) & Steel Mandrel Wheel Opening Moulding Attachment 		16864 GM: 10125439 Split-Type Rivet Diameter: 3/16" Grip: 3/64"-11/32" Flange Diameter: 3/8" Aluminum Rivet (Black) & Mandrel Moulding Attachment 		20626 Toyota: 90269-05054 Diameter: 3/16" (5mm) Grip: 1/8" - 5/16" (3mm - 8mm) Flange Diameter: 9/16" (14mm) Aluminum Rivet with Plastic Cap Steel Mandrel Windshield Side Moulding & Gas Filler Cap 		14127 Ford: 388664-S100 Diameter: 3/16" Grip: 3/8"-1/2" Flange Diameter: 9/16" Aluminum Rivet (Black) & Mandrel Fascia & Bumper 					
17121 GM: 25618730 ; Ford: N805592-S100 Split-Type Rivet Diameter: 3/16" Grip: 5/64"-15/64" Flange Diameter: 7/16" Aluminum Rivet (Black) & Mandrel Wheel House Moulding & General Purpose 		11620 GM: 9436175; Ford: 385189-S100; Chry: 6031115 Diameter: 1/4" Grip: 1/32" - 9/64" Flange Diameter: 1/2" Aluminum Rivet & Steel Mandrel Window Regulator 		12653 Ford: 388047-S102 "Peel-Type" Rivet Diameter: 1/4" Grip: 3/32"-1/8" Flange Diameter: 1/2" Aluminum Rivet (Black) & Steel Mandrel Door Handle Assembly 		16837 GM: 9436175; Ford: 385189-S100; Chry: 6031115 Diameter: 1/4" Grip: 1/32" - 9/64" Flange Diameter: 1/2" Aluminum Rivet & Steel Mandrel Window Regulator 		11621 Ford: 385323-S100; Chry: 6031091; GM: 9437938 Diameter: 1/4" Grip: 3/64" - 19/32" Flange Diameter: 1/2" Aluminum Rivet & Steel Mandrel Window Regulator 		12658 GM: 12338153, 20184399; Ford: 389268-S100 Diameter: 1/4" Grip: 11/16" - 3/4" Flange Diameter: 1/2" Aluminum Rivet & Steel Mandrel Window Regulator 					
16838 Ford: 385323-S100; Chry: 6031091; GM: 9437938 "Peel-Type" Rivet Diameter: 1/4" Grip: 33/64" - 19/32" Flange Diameter: 1/2" Aluminum Rivet & Steel Mandrel Window Regulator 		17639 Ford: N806830-S100; Chry: 603520 Diameter: 1/4" Grip: 3/16"-3/8" Flange Diameter: 11/16" Aluminum Rivet (Black) & Mandrel Bumper Cover & Front License Plate Bracket to Bumper Cover; Air Dam to Fascia 		20741 GM: 11516807 Split-Type Rivet Diameter: 3/16" (4.8mm) Grip: 3/64" - 23/64" (1mm-9mm) Flange Diameter: 5/8" (16mm) Aluminum Rivet (Black) & Mandrel Bumper Fascia & General Purpose 											

21 Varieties, 360 Pieces

Visit www.auveco.com for more information or to place an order.
 Questions or concerns. Contact us at 1-800-354-9816 or mail@auveco.us






























ESSENTIAL PRODUCTS ASSORTMENT PROGRAM					
Push-Type Retainers #1					
6705EPA					
					
 <p>12567 GM: 14019205, 14019206, 16514113; Chry: 34201621, 6504090 Black Nylon</p> <p>Head Diameter: 11/16" (17.5mm) Stem Length: 9/16" (14.3mm) Fits into 1/4" (6.4mm) Hole Front Fender Mud Skirt & Fender Liner</p> 	 <p>14011 GM: 14019226, 14071289 Black Nylon</p> <p>Head Dia.: 21/32" (16.7mm) Stem Length: 9/16" (14.3mm) Fits into 5/16" (8mm) Hole Radiator Overflow & Windshield Washer Bottle</p> 	 <p>20757 Toyota: 47749-58010 Black Nylon</p> <p>Head Diameter: 15mm Stem Length: 25mm Front Fender & Bumper Cover Pin Retainer</p> 	 <p>21011 Toyota: 90467-07188 Black Nylon</p> <p>Head Diameter: 15mm Stem Length: 17mm Fits into 7mm Hole</p> 	 <p>20966 Chry: 5160260-AA Black Nylon</p> <p>Bottom Head Dia.: 18mm Stem Length: 20mm Fits into 8mm Hole Rear Bumper, Tail Light & Fender</p> 	 <p>22710 BMW: 51-48-1-884-779 Black Nylon</p> <p>Head Diameter: 19.5mm Stem Length: 15mm Fits into 7mm Hole Radiator Cover, Sound Insulation & Trunk Trim</p> 
 <p>14010 GM: 14045480; Chry: 6508746-AA Black Nylon</p> <p>Head Dia.: 1" (25.4mm) Stem Length: 23/32" (18.3mm) Fits into 3/8" (9.5mm) Hole Fascia</p> 	 <p>12757 GM: 5973400 Black Nylon</p> <p>Head Dia.: 1" (25.4mm) Shoulder Length: 1/8" (3.7mm) Stem Length: 3/4" (19mm) Fits into 1/2" (12.7mm) Hole Fascia</p> 	 <p>17222 GM: 21075686; Ford: F3LY-14570-B Black Nylon</p> <p>Head Diameter: 15mm Stem Length: 20mm Fits into 8mm Hole Rocker Panel, Wheel Liner & Air Inlet Duct</p> 	 <p>20990 GM: 15296830; Chrysler: 5116530-AA Black Nylon</p> <p>Head Diameter: 19mm Stem Length: 16mm Fits into 8mm Hole Fascia & General Purpose</p> 	 <p>20909 Mercedes: 124-990-04-92 Black Nylon</p> <p>Head Diameter: 16mm Stem Length: 18mm Fits into 7mm Hole</p> 	 <p>19639 GM: 15149708; Chrysler: 6506008AA Black Nylon</p> <p>Head Diameter: 17mm Stem Length: 16mm Fits into 6mm Hole Radiator Wheelhouse, Fender & Front Bumper Cover</p> 
 <p>19453 Honda: 90505-SX0-003 Black Nylon</p> <p>Head Diameter: 18mm Stem Length: 15mm (Excluding Pin) Fits into 8mm Hole Garnish Side Protector</p> 	 <p>20880 GM: 11589290; Chry: 6509049-AA; Ford: W714040-S300 Black Nylon</p> <p>Head Diameter: 18mm Stem Length: 20mm Fits into 6.5mm Hole Air Inlet Grille, Bumper Fascia & Front Brake Caliper Cooling Duct</p> 	 <p>20888 GM: 11561368; Ford: 6508712AA Black Nylon</p> <p>Head Diameter: 18mm Stem Length: 20mm Fits into 9.5mm Hole Fender, Wheel & Bumper</p> 	 <p>20931 Toyota: 52161-20010 Black Nylon</p> <p>Head Diameter: 18mm Stem Length: 31mm Fits into 9mm Hole Bumper Cover & Grille</p> 	 <p>19274 Nissan: 15153-09321 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 9mm (Excluding Pin) Fits into 8mm Hole</p> 	 <p>20458 Chrysler: 6506132-AA Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 17mm Fits into 7mm Hole Side Radiator Shield</p> 
 <p>19615 GM: 15153415 Black Nylon</p> <p>Top Head Diameter: 20mm Stem Length: 21mm Fits into 9mm Hole Rear Bumper Cover</p> 	 <p>20989 GM: 11589291; Ford: W713331-S300 Black Nylon</p> <p>Head Diameter: 18mm Stem Length: 22mm Fits into 6.5mm Hole Air Dam & Grille</p> 	 <p>20992 GM: 11589294 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 24mm Fits into 8.5mm Hole Bumper Fascia, Fender and Toe/Floor Panel</p> 	 <p>14020 Ford: N802781-S; GM: 14093088 Black Nylon</p> <p>Head Dia.: 1" (25.4mm) Stem Length: 7/8" (22mm) Fits into 1/4" (6.4mm) Hole Splash Shield & Fascia Retainer</p> 		

22 Varieties, 360 Pieces

















































ESSENTIAL PRODUCTS ASSORTMENT PROGRAM				
Specialty Nuts				
6706EPA				
				
 <p>15326 Ford: N621903 Phosphate</p> <p>M6-80 Hex: 10MM Overall Height: 7MM Washer O.D.: 15MM Free Spinning Washer Hex Sems Nut</p> 	 <p>15328 Ford: N621905 Phosphate</p> <p>M6-1.0 Hex: 11MM Overall Height: 7MM Washer O.D.: 16MM Free Spinning Washer Hex Sems Nut</p> 	 <p>12595 GM: 11503752, 11505329; VW: N90100001 Phosphate</p> <p>M6-1.0 Hex: 10MM Overall Height: 7MM Washer O.D.: 16MM Washer Type: Toothed Free Spinning Toothed Washer Hex Sems Nut</p> 	 <p>15331 Chrysler: 6100049 Phosphate</p> <p>M6-1.0 Hex: 10MM Overall Height: 9MM Washer O.D.: 20MM Free Spinning Washer Hex Sems Nut</p> 	 <p>15332 Ford: N621907 Zinc & Yellow</p> <p>M6-1.0 Hex: 11MM Overall Height: 9MM Washer O.D.: 24MM Free Spinning Washer Hex Sems Nut</p> 
 <p>15329 Chrysler: 6100048 Phosphate</p> <p>M6-1.0 Hex: 10MM Overall Height: 9MM Washer O.D.: 18MM Free Spinning Washer Hex Sems Nut</p> 	 <p>12596 GM: 11503754, 11503756 Phosphate</p> <p>M6-1.0 Hex: 11MM Overall Height: 9.5MM Washer O.D.: 19MM Free Spinning Toothed Washer Hex Sems Nut</p> 	 <p>11644 GM: 11502609, 11507036 Phosphate</p> <p>M6-1.25 Hex: 13MM Flange O.D.: 17MM Overall Height: 8MM Hex Flange Nut</p> 	 <p>15335 GM: 11503695, 11506117, N621940 Phosphate</p> <p>M6-1.25 Hex: 13MM Overall Height: 10.5MM Washer Diameter: 24MM Free Spinning Washer Hex Sems Nut</p> 	 <p>15337 Ford: N621942 Phosphate</p> <p>M10-1.5 Hex: 15MM Overall Height: 13MM Washer O.D.: 24MM Free Spinning Washer Hex Sems Nut</p> 
 <p>15347 Chrysler: 45334, 6023204, 6025004 Phosphate</p> <p>1/4-20 Hex: 7/16" Overall Height: 5/16" Washer O.D.: 7/8" Free Spinning Washer Hex Sems Nut</p> 	 <p>15351 Ford: 376785 Phosphate</p> <p>3/8-16 Hex: 9/16" Washer O.D.: 7/8" Overall Height: 7/16" Free Spinning Washer Hex Sems Nut</p> 	 <p>16769 Zinc Case Hardened</p> <p>M6-1.0 Hex: 10MM Flange O.D.: 14MM Spin Lock Nut with Serrations</p> 	 <p>14855 Black Phosphate Case Hardened</p> <p>M6-1.0 Hex: 10MM Flange O.D.: 17MM Spin Lock Nut with Serrations</p> 	 <p>16830 Zinc Case Hardened</p> <p>M6-1.25 Hex: 12MM Flange O.D.: 17MM Spin Lock Nut with Serrations</p> 
 <p>16470 Honda: 90212-SAS-003 Zinc Case Hardened</p> <p>M10-1.25 Hex: 14MM Flange O.D.: 19MM Spin Lock Nut with Serrations</p> 	 <p>11645 GM: 11501850 Phosphate</p> <p>M10-1.5 Hex: 15MM Flange O.D.: 21MM Overall Height: 10MM Hex Flange Nut</p> 			

17 Varieties, 335 Pieces

Visit www.auveco.com for more information or to place an order.
Questions or concerns. Contact us at 1-800-354-9816 or mail@auveco.us





















































































6707EPA					ESSENTIAL PRODUCTS ASSORTMENT PROGRAM					Screw Grommets & Nylon Nuts					Auveco [®] PRODUCTS																										
 <p>22719 Audi: 8K0-837-199 Black Nylon</p> <p>Screw Size: M3.5 (#6) Head Size: 12.6mm x 17.5mm Stem Length: 12mm Fits into 9mm x 11mm Hole Exterior Door Trim Screw Grommet</p>		 <p>20440 Toyota: 90189-06063 Black Nylon</p> <p>Screw Size: M5.5 (#12) Head Diameter: 20mm Stem Length: 18mm Fits into 9mm x 9mm Hole Hood & Fender Screw Grommet</p>		 <p>20954 Honda: 90682-SEA-003 Black Nylon</p> <p>Screw Size: #8 (M4.2) Head Diameter: 20mm Stem Length: 12mm Fits into 9mm Square Hole Fender Apron Grommet</p>		 <p>19194 Toyota: 90189-06028; GM: 94854203 Black Nylon</p> <p>Screw Size: #12 Head Diameter: 16mm Stem Length: 19mm Fits into 9mm x 9mm Square Hole Front & Rear Wheel Fender Liner Screw Grommet</p>		 <p>19756 Toyota: 90189-06214 Black Nylon</p> <p>Screw Size: #12 (M5.5) Head Diameter: 16mm Stem Length: 18mm Fender Liner Screw Grommet</p>		 <p>19721 Toyota: 90189-06157 Black Nylon</p> <p>Screw Size: M5.5 (#12) Head Diameter: 20mm Stem Length: 22mm Fits into 8mm x 8mm Hole Fender Lining Screw Grommet</p>		 <p>14267 Toyota: 90189-06013 Black Nylon</p> <p>Screw Size: #14 (1/4") or M6.3-1.81 Head Diameter: 20mm Stem Length: 17mm Fits into 8mm x 8mm Hole Screw Grommet</p>		 <p>22766 Nissan: 85099-1EA0A Yellow Nylon</p> <p>Screw Size: M5 Head Diameter: 14mm Stem Length: 15.5mm Overall Length: 18.5mm Bumper Screw Grommet</p>		 <p>22720 VW: N105-073-01 Black Nylon</p> <p>Screw Size: M4.8 (#8) Head Diameter: 13mm Stem Length: 17mm Fits into 7.5mm x 7.5mm Hole Bumper & Fender Apron Screw Grommet with Sealer</p>		 <p>22723 Ford: W706436-S300 White Nylon</p> <p>Screw Size: M4.8 (#10) Head Diameter: 16mm Stem Length: 27mm Overall Height: 28.5mm Fits into 8mm Square Hole Tail Lamp Screw Grommet with Sealer</p>		 <p>14695 Honda: 90661-SC7-003; Mazda: H001-50-841; Mitsubishi: MS-480012; Toyota: 90189-06042 Nissan: 01651-00481, 74798-S9000 White Nylon</p> <p>Screw Size: #8 (M.2) Head Diameter: 16mm Stem Length: 17mm Fits into 8mm x 8mm Hole Screw Grommet</p>		 <p>22721 VW & Porsche: N905-410-01 Natural Nylon</p> <p>Screw Size: M4.2 (#8) Head Size: 9.5mm x 9.5mm Stem Length: 8mm x 9mm Stem Length: 7.5mm Fits into 7.5mm Slot Deck Lid & Hood Release Handle Screw Grommet</p>		 <p>22701 Ford: W711612-S300 White Nylon</p> <p>Screw Size: M4.2 (#8-18) Head Diameter: 12.75mm Stem Length: 5mm Fits into 7.87mm Square Hole Overall Height: 9mm Grille Trim Screw Grommet</p>		 <p>20764 Nissan: 01281-00831 Natural Nylon</p> <p>Screw Size: M4.2 (#8) Head Diameter: 16mm Stem Length: 10mm Fits into 9mm x 9mm Hole Bumper, Fender & Light Screw Grommet</p>		 <p>20895 Toyota: 90189-06193 Natural Nylon</p> <p>Screw Size: M5.5 Stem Length: 10mm Head Size: 14mm x 16mm Front Bumper Nylon Nut</p>		 <p>14274 Honda: 75521-611-000; Mazda: 9991-00-601; Nissan: 96706-P0105; Toyota: 90189-06010 Natural Nylon</p> <p>Screw Size: #10 Width: 13mm Length: 13mm Snaps into 8.5mm x 8.5mm Hole Nylon Nut</p>		 <p>8435 GM: 4755299 Nylon</p> <p>Screw Size: 1/4" (#14) Head Size: 0.625" Head Thickness: 0.080" Width: 0.395" Overall Length: 0.425" License Plate Nylon Nut</p>		 <p>11719 GM: 3907444 Nylon</p> <p>Screw Size: 1/4" (#14) Head Size: 0.600" Head Thickness: 0.081" Width: 0.415" Overall Length: 0.370" License Plate Nylon Nut</p>							
 <p>14695 Honda: 90661-SC7-003; Mazda: H001-50-841; Mitsubishi: MS-480012; Toyota: 90189-06042 Nissan: 01651-00481, 74798-S9000 White Nylon</p> <p>Screw Size: #8 (M.2) Head Diameter: 16mm Stem Length: 17mm Fits into 8mm x 8mm Hole Screw Grommet</p>		 <p>22721 VW & Porsche: N905-410-01 Natural Nylon</p> <p>Screw Size: M4.2 (#8) Head Size: 9.5mm x 9.5mm Stem Length: 8mm x 9mm Stem Length: 7.5mm Fits into 7.5mm Slot Deck Lid & Hood Release Handle Screw Grommet</p>		 <p>22701 Ford: W711612-S300 White Nylon</p> <p>Screw Size: M4.2 (#8-18) Head Diameter: 12.75mm Stem Length: 5mm Fits into 7.87mm Square Hole Overall Height: 9mm Grille Trim Screw Grommet</p>		 <p>20764 Nissan: 01281-00831 Natural Nylon</p> <p>Screw Size: M4.2 (#8) Head Diameter: 16mm Stem Length: 10mm Fits into 9mm x 9mm Hole Bumper, Fender & Light Screw Grommet</p>		 <p>20895 Toyota: 90189-06193 Natural Nylon</p> <p>Screw Size: M5.5 Stem Length: 10mm Head Size: 14mm x 16mm Front Bumper Nylon Nut</p>		 <p>14274 Honda: 75521-611-000; Mazda: 9991-00-601; Nissan: 96706-P0105; Toyota: 90189-06010 Natural Nylon</p> <p>Screw Size: #10 Width: 13mm Length: 13mm Snaps into 8.5mm x 8.5mm Hole Nylon Nut</p>		 <p>8435 GM: 4755299 Nylon</p> <p>Screw Size: 1/4" (#14) Head Size: 0.625" Head Thickness: 0.080" Width: 0.395" Overall Length: 0.425" License Plate Nylon Nut</p>		 <p>11719 GM: 3907444 Nylon</p> <p>Screw Size: 1/4" (#14) Head Size: 0.600" Head Thickness: 0.081" Width: 0.415" Overall Length: 0.370" License Plate Nylon Nut</p>																											
 <p>14274 Honda: 75521-611-000; Mazda: 9991-00-601; Nissan: 96706-P0105; Toyota: 90189-06010 Natural Nylon</p> <p>Screw Size: #10 Width: 13mm Length: 13mm Snaps into 8.5mm x 8.5mm Hole Nylon Nut</p>		 <p>8435 GM: 4755299 Nylon</p> <p>Screw Size: 1/4" (#14) Head Size: 0.625" Head Thickness: 0.080" Width: 0.395" Overall Length: 0.425" License Plate Nylon Nut</p>		 <p>11719 GM: 3907444 Nylon</p> <p>Screw Size: 1/4" (#14) Head Size: 0.600" Head Thickness: 0.081" Width: 0.415" Overall Length: 0.370" License Plate Nylon Nut</p>																																					

18 Varieties, 335 Pieces











































































































































































6708EPA						ESSENTIAL PRODUCTS ASSORTMENT PROGRAM						Extruded U-Nuts						Auveco [®] PRODUCTS																													
 <p>10048 Ford: 45262 Phosphate</p> <p>Screw Size: #8-32 Panel Range: .025"-.150" Center of Hole to Edge: 3/8"</p>		 <p>15677 GM: 152273 Phosphate</p> <p>Screw Size: #10-24 Panel Range: .025"-.125" Center of Hole to Edge: 15/32"</p>		 <p>8359 GM: 1480627, 149425 Phosphate</p> <p>Screw Size: 1/4"-20 Panel Range: .025"-.150" Center of Hole to Edge: 17/32"</p>		 <p>10051 Ford: 45267; GM: 1494257 Phosphate</p> <p>Screw Size: 1/4"-20 Panel Range: .025"-.150" Center of Hole to Edge: 25/32"</p>		 <p>10053 Chry: 6023171; Ford: 45264 Phosphate</p> <p>Screw Size: 5/16"-18 Panel Range: .025"-.150" Center of Hole to Edge: 9/16"</p>		 <p>8814 GM: 1494258; Ford: 379831-S Phosphate</p> <p>Screw Size: 5/16"-18 Panel Range: .025"-.150" Center of Hole to Edge: 27/32"</p>		 <p>10054 GM: 1494254, 12337873; Ford: 45265-S2 Phosphate</p> <p>Screw Size: 3/8"-16 Panel Range: .050"-.200" Center of Hole to Edge: 3/4"</p>		 <p>10055 Phosphate</p> <p>Screw Size: 3/8"-16 Panel Range: .050"-.200" Center of Hole to Edge: 1-1/8"</p>		 <p>21040 GM: 1493043, 11500658 Zinc Organic</p> <p>Screw Size: M4.2-1.41 (#8) Panel Range: .65mm-3.8mm (.025"-.150") Center of Hole to Edge: 9.5mm (3/8") Locking Thread</p>		 <p>22074 GM: 11515638 Zinc Organic</p> <p>Size: M4.2-1.41 (#8) Panel Range: .65mm-3.80mm (.025"-.150") Center of Hole to Edge: 15mm Locking Thread</p>		 <p>18338 GM: 11505966; Ford: N623331-S2 Phosphate</p> <p>Screw Size: M5-.8 Panel Range: .60mm-3.8mm (.024"-.150") Center of Hole to Edge: 11mm (7/16")</p>		 <p>12669 GM: 1016937, 11503957, 12337917; Ford: N623332-S2, -S53 & -S100 Phosphate</p> <p>Screw Size: M6-1.0 Panel Range: .80mm-4.00mm (.030"-.160") Center of Hole to Edge: 13.5mm (17/32")</p>		 <p>12666 GM: 11504978 Zinc Organic</p> <p>Screw Size: M6-1.0 Panel Range: 3.4mm-6.3mm (1.35"-.250") Center of Hole to Edge: 14.5mm (9/16")</p>		 <p>16322 GM: 14040999 Phosphate</p> <p>Screw Size: M6-1.0 Panel Range: 1.0mm-2.5mm (.045"-.095") Center of Hole to Edge: 19.5mm (25/32")</p>		 <p>11628 GM: 943043, 11500658 Phosphate</p> <p>Screw Size: M6.3-1.0 Panel Range: .80mm-4.00mm (.030"-.160") Center of Hole to Edge: 13.5mm (17/32")</p>		 <p>16846 Chry: 6502152 Phosphate</p> <p>Screw Size: M6-1.0 Panel Range: .80mm-4.00mm (.030"-.160") Center of Hole to Edge: 12mm (15/32") Tri-Lobular Locking Thread</p>		 <p>16842 GM: 11504047; Ford: N802331-S53 Phosphate</p> <p>Screw Size: M6-1.0 Panel Range: 3.4mm-6.3mm (1.40"-.250") Center of Hole to Edge: 13.5mm (17/32")</p>		 <p>11629 GM: 11500660, 11502617; Ford: N623333-S2; Chry: 6101283 Phosphate</p> <p>Screw Size: M8-1.25 Panel Range: .80mm-4.00mm (.030"-.160") Center of Hole to Edge: 14.5mm (9/16")</p>		 <p>22700 Ford: N800296-S439, W520823-S439 Zinc</p> <p>Screw Size: M8-1.25 Panel Range: .80mm-4.00mm (.030"-.160") Center of Hole to Edge: 14.5mm (9/16") Locking Thread</p>		 <p>11630 GM: 11500661, 11503317, 11516150; Ford: N623343-S2 & S100 Phosphate</p> <p>Screw Size: M8-1.25 Panel Range: .80mm-4.00mm (.030"-.160") Center of Hole to Edge: 20mm (13/16")</p>		 <p>11631 GM: 11500662, 22531616 Phosphate</p> <p>Screw Size: M10-1.50 Panel Range: 1.0mm-6.0mm (.040"-.230") Center of Hole to Edge: 19mm (3/4")</p>							
 <p>10054 GM: 1494254, 12337873; Ford: 45265-S2 Phosphate</p> <p>Screw Size: 3/8"-16 Panel Range: .050"-.200" Center of Hole to Edge: 3/4"</p>		 <p>10055 Phosphate</p> <p>Screw Size: 3/8"-16 Panel Range: .050"-.200" Center of Hole to Edge: 1-1/8"</p>		 <p>21040 GM: 1493043, 11500658 Zinc Organic</p> <p>Screw Size: M4.2-1.41 (#8) Panel Range: .65mm-3.8mm (.025"-.150") Center of Hole to Edge: 9.5mm (3/8") Locking Thread</p>		 <p>22074 GM: 11515638 Zinc Organic</p> <p>Size: M4.2-1.41 (#8) Panel Range: .65mm-3.80mm (.025"-.150") Center of Hole to Edge: 15mm Locking Thread</p>		 <p>18338 GM: 11505966; Ford: N623331-S2 Phosphate</p> <p>Screw Size: M5-.8 Panel Range: .60mm-3.8mm (.024"-.150") Center of Hole to Edge: 11mm (7/16")</p>		 <p>12669 GM: 1016937, 11503957, 12337917; Ford: N623332-S2, -S53 & -S100 Phosphate</p> <p>Screw Size: M6-1.0 Panel Range: .80mm-4.00mm (.030"-.160") Center of Hole to Edge: 13.5mm (17/32")</p>		 <p>12666 GM: 11504978 Zinc Organic</p> <p>Screw Size: M6-1.0 Panel Range: 3.4mm-6.3mm (1.35"-.250") Center of Hole to Edge: 14.5mm (9/16")</p>		 <p>16322 GM: 14040999 Phosphate</p> <p>Screw Size: M6-1.0 Panel Range: 1.0mm-2.5mm (.045"-.095") Center of Hole to Edge: 19.5mm (25/32")</p>		 <p>11628 GM: 943043, 11500658 Phosphate</p> <p>Screw Size: M6.3-1.0 Panel Range: .80mm-4.00mm (.030"-.160") Center of Hole to Edge: 13.5mm (17/32")</p>		 <p>16846 Chry: 6502152 Phosphate</p> <p>Screw Size: M6-1.0 Panel Range: .80mm-4.00mm (.030"-.160") Center of Hole to Edge: 12mm (15/32") Tri-Lobular Locking Thread</p>		 <p>16842 GM: 11504047; Ford: N802331-S53 Phosphate</p> <p>Screw Size: M6-1.0 Panel Range: 3.4mm-6.3mm (1.40"-.250") Center of Hole to Edge: 13.5mm (17/32")</p>		 <p>11629 GM: 11500660, 11502617; Ford: N623333-S2; Chry: 6101283 Phosphate</p> <p>Screw Size: M8-1.25 Panel Range: .80mm-4.00mm (.030"-.160") Center of Hole to Edge: 14.5mm (9/16")</p>		 <p>22700 Ford: N800296-S439, W520823-S439 Zinc</p> <p>Screw Size: M8-1.25 Panel Range: .80mm-4.00mm (.030"-.160") Center of Hole to Edge: 14.5mm (9/16") Locking Thread</p>		 <p>11630 GM: 11500661, 11503317, 11516150; Ford: N623343-S2 & S100 Phosphate</p> <p>Screw Size: M8-1.25 Panel Range: .80mm-4.00mm (.030"-.160") Center of Hole to Edge: 20mm (13/16")</p>		 <p>11631 GM: 11500662, 22531616 Phosphate</p> <p>Screw Size: M10-1.50 Panel Range: 1.0mm-6.0mm (.040"-.230") Center of Hole to Edge: 19mm (3/4")</p>																			
 <p>12666 GM: 11504978 Zinc Organic</p> <p>Screw Size: M6-1.0 Panel Range: 3.4mm-6.3mm (1.35"-.250") Center of Hole to Edge: 14.5mm (9/16")</p>		 <p>16322 GM: 14040999 Phosphate</p> <p>Screw Size: M6-1.0 Panel Range: 1.0mm-2.5mm (.045"-.095") Center of Hole to Edge: 19.5mm (25/32")</p>		 <p>11628 GM: 943043, 11500658 Phosphate</p> <p>Screw Size: M6.3-1.0 Panel Range: .80mm-4.00mm (.030"-.160") Center of Hole to Edge: 13.5mm (17/32")</p>		 <p>16846 Chry: 6502152 Phosphate</p> <p>Screw Size: M6-1.0 Panel Range: .80mm-4.00mm (.030"-.160") Center of Hole to Edge: 12mm (15/32") Tri-Lobular Locking Thread</p>		 <p>16842 GM: 11504047; Ford: N802331-S53 Phosphate</p> <p>Screw Size: M6-1.0 Panel Range: 3.4mm-6.3mm (1.40"-.250") Center of Hole to Edge: 13.5mm (17/32")</p>		 <p>11629 GM: 11500660, 11502617; Ford: N623333-S2; Chry: 6101283 Phosphate</p> <p>Screw Size: M8-1.25 Panel Range: .80mm-4.00mm (.030"-.160") Center of Hole to Edge: 14.5mm (9/16")</p>		 <p>22700 Ford: N800296-S439, W520823-S439 Zinc</p> <p>Screw Size: M8-1.25 Panel Range: .80mm-4.00mm (.030"-.160") Center of Hole to Edge: 14.5mm (9/16") Locking Thread</p>		 <p>11630 GM: 11500661, 11503317, 11516150; Ford: N623343-S2 & S100 Phosphate</p> <p>Screw Size: M8-1.25 Panel Range: .80mm-4.00mm (.030"-.160") Center of Hole to Edge: 20mm (13/16")</p>		 <p>11631 GM: 11500662, 22531616 Phosphate</p> <p>Screw Size: M10-1.50 Panel Range: 1.0mm-6.0mm (.040"-.230") Center of Hole to Edge: 19mm (3/4")</p>																															
 <p>22700 Ford: N800296-S439, W520823-S439 Zinc</p> <p>Screw Size: M8-1.25 Panel Range: .80mm-4.00mm (.030"-.160") Center of Hole to Edge: 14.5mm (9/16") Locking Thread</p>		 <p>11630 GM: 11500661, 11503317, 11516150; Ford: N623343-S2 & S100 Phosphate</p> <p>Screw Size: M8-1.25 Panel Range: .80mm-4.00mm (.030"-.160") Center of Hole to Edge: 20mm (13/16")</p>		 <p>11631 GM: 11500662, 22531616 Phosphate</p> <p>Screw Size: M10-1.50 Panel Range: 1.0mm-6.0mm (.040"-.230") Center of Hole to Edge: 19mm (3/4")</p>																																											

21 Varieties, 360 Pieces

Visit www.auveco.com for more information or to place an order.
Questions or concerns. Contact us at 1-800-354-9816 or mail@auveco.us













































6709EPA					ESSENTIAL PRODUCTS ASSORTMENT PROGRAM Push-Type/Screw-Type Retainers					Auveco [®] PRODUCTS									
 <p>21103 Toyota: 90467-05090-B1 Black Nylon</p> <p>Head Diameter: 10mm Stem Length: 12mm Fits into 5mm Hole Drive Type: Phillips</p> 	 <p>16000 Honda: 90675-SB3-003; Mazda: FB01-576-964; Nissan: 63876-95596 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 9mm Fits into 8mm Hole Drive Type: Phillips</p> 	 <p>16859 Nissan: 66660-01W01; GM: 94051993 Black Nylon</p> <p>Head Diameter: 14mm (9/16") Stem Length: 16mm (5/8") Fits into 6mm (1/4") Hole Drive Type: Phillips</p> 	 <p>14260 Toyota: 90467-06017; Mazda: 9926-50-625; GM: 20426301 Black Nylon</p> <p>Head Diameter: 15mm Stem Length: 12mm Fits into 7mm Hole Drive Type: Phillips</p> 	 <p>14696 Honda: 90684-SA5-0030; Isuzu: 8942981190; Nissan 10998-30880 Black Nylon</p> <p>Head Diameter: 15mm Stem Length: 11mm Fits into 6mm Hole Drive Type: Phillips</p> 	 <p>17632 Mazda: 8092-51-833; Ford: MB-455-56143, W705845-S300; Hyundai: 86590-28000 Black Nylon</p> <p>Head Diameter: 18mm Stem Length: 12mm Fits into 8mm Hole Drive Type: Phillips</p> 	 <p>16858 Nissan: 63844-01A00; Kia: MNA01-56-145; Ford: MNA01-56-145; Mazda: NA01-56-145 Black Nylon</p> <p>Head Diameter: 20mm (25/32") Stem Length: 18mm (23/32") Fits into 8mm (5/16") Hole Drive Type: Phillips</p> 	 <p>21530 Subaru: 909130067; Hyundai: 86590-35000 Black Nylon</p> <p>Head Diameter: 18mm Stem Length: 10mm Fits into 8mm Hole Drive Type: Phillips</p> 	 <p>21146 Kia: OG032-50037-A Black Nylon</p> <p>Head Diameter: 18mm Stem Length: 12mm Fits into 8mm Hole Drive Type: Phillips</p> 	 <p>17379 Honda: 91512-SM4-003 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 9mm Fits into 8mm Hole Drive Type: Slotted Phillips</p> 	 <p>17472 Mitsubishi: MB547806 Nissan: 63854-01A00 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 20mm Fits into 8mm Hole Drive Type: Phillips</p> 	 <p>17057 Honda: 90505-SM4-003 Black Nylon</p> <p>Head Diameter: 18mm Stem Length: 21mm Fits into 8mm Hole Drive Type: Phillips</p> 	 <p>21500 Subaru: 909140063 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 12mm Fits into 7mm Hole Drive Type: Slotted</p> 	 <p>20348 Nissan: 63878-01E10 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 22mm Fits into 8mm Hole Drive Type: Phillips</p> 	 <p>17143 Honda: 91502-SM4-000; Hyundai: 85690-35000 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 27mm Fits into 10mm Hole Drive Type: Slotted Phillips</p> 	 <p>14997 GM: 10053182 Black Nylon</p> <p>Head Diameter: 19/32" (15mm) Stem Length: 13/16" (20.6mm) Fits into 5/16" (8mm) Hole Drive Type: Phillips</p> 	 <p>14992 Ford: N803946S; Chrysler: 6502871 Black Nylon</p> <p>Head Diameter: 19/32" (15mm) Stem Length: 29/32" (23mm) Fits into 1/4" (6.4mm) Hole Drive Type: Phillips</p> 	 <p>14753 GM: 15773445, 20452072, 20664092; Ford: N804570S; Chrysler: 4638136 Black Nylon</p> <p>Head Diameter: 11/16" (17.5mm) Stem Length: 7/8" (22mm) Fits into 1/4" (6.4mm) Hole Drive Type: Phillips</p> 		
 <p>17632 Mazda: 8092-51-833; Ford: MB-455-56143, W705845-S300; Hyundai: 86590-28000 Black Nylon</p> <p>Head Diameter: 18mm Stem Length: 12mm Fits into 8mm Hole Drive Type: Phillips</p> 	 <p>16858 Nissan: 63844-01A00; Kia: MNA01-56-145; Ford: MNA01-56-145; Mazda: NA01-56-145 Black Nylon</p> <p>Head Diameter: 20mm (25/32") Stem Length: 18mm (23/32") Fits into 8mm (5/16") Hole Drive Type: Phillips</p> 	 <p>21530 Subaru: 909130067; Hyundai: 86590-35000 Black Nylon</p> <p>Head Diameter: 18mm Stem Length: 10mm Fits into 8mm Hole Drive Type: Phillips</p> 	 <p>21146 Kia: OG032-50037-A Black Nylon</p> <p>Head Diameter: 18mm Stem Length: 12mm Fits into 8mm Hole Drive Type: Phillips</p> 	 <p>17379 Honda: 91512-SM4-003 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 9mm Fits into 8mm Hole Drive Type: Slotted Phillips</p> 	 <p>17472 Mitsubishi: MB547806 Nissan: 63854-01A00 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 20mm Fits into 8mm Hole Drive Type: Phillips</p> 	 <p>17057 Honda: 90505-SM4-003 Black Nylon</p> <p>Head Diameter: 18mm Stem Length: 21mm Fits into 8mm Hole Drive Type: Phillips</p> 	 <p>21500 Subaru: 909140063 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 12mm Fits into 7mm Hole Drive Type: Slotted</p> 	 <p>20348 Nissan: 63878-01E10 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 22mm Fits into 8mm Hole Drive Type: Phillips</p> 	 <p>17143 Honda: 91502-SM4-000; Hyundai: 85690-35000 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 27mm Fits into 10mm Hole Drive Type: Slotted Phillips</p> 	 <p>14997 GM: 10053182 Black Nylon</p> <p>Head Diameter: 19/32" (15mm) Stem Length: 13/16" (20.6mm) Fits into 5/16" (8mm) Hole Drive Type: Phillips</p> 	 <p>14992 Ford: N803946S; Chrysler: 6502871 Black Nylon</p> <p>Head Diameter: 19/32" (15mm) Stem Length: 29/32" (23mm) Fits into 1/4" (6.4mm) Hole Drive Type: Phillips</p> 	 <p>14753 GM: 15773445, 20452072, 20664092; Ford: N804570S; Chrysler: 4638136 Black Nylon</p> <p>Head Diameter: 11/16" (17.5mm) Stem Length: 7/8" (22mm) Fits into 1/4" (6.4mm) Hole Drive Type: Phillips</p> 							
 <p>17472 Mitsubishi: MB547806 Nissan: 63854-01A00 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 20mm Fits into 8mm Hole Drive Type: Phillips</p> 	 <p>17057 Honda: 90505-SM4-003 Black Nylon</p> <p>Head Diameter: 18mm Stem Length: 21mm Fits into 8mm Hole Drive Type: Phillips</p> 	 <p>21500 Subaru: 909140063 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 12mm Fits into 7mm Hole Drive Type: Slotted</p> 	 <p>20348 Nissan: 63878-01E10 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 22mm Fits into 8mm Hole Drive Type: Phillips</p> 	 <p>17143 Honda: 91502-SM4-000; Hyundai: 85690-35000 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 27mm Fits into 10mm Hole Drive Type: Slotted Phillips</p> 	 <p>14997 GM: 10053182 Black Nylon</p> <p>Head Diameter: 19/32" (15mm) Stem Length: 13/16" (20.6mm) Fits into 5/16" (8mm) Hole Drive Type: Phillips</p> 	 <p>14992 Ford: N803946S; Chrysler: 6502871 Black Nylon</p> <p>Head Diameter: 19/32" (15mm) Stem Length: 29/32" (23mm) Fits into 1/4" (6.4mm) Hole Drive Type: Phillips</p> 	 <p>14753 GM: 15773445, 20452072, 20664092; Ford: N804570S; Chrysler: 4638136 Black Nylon</p> <p>Head Diameter: 11/16" (17.5mm) Stem Length: 7/8" (22mm) Fits into 1/4" (6.4mm) Hole Drive Type: Phillips</p> 												
 <p>14997 GM: 10053182 Black Nylon</p> <p>Head Diameter: 19/32" (15mm) Stem Length: 13/16" (20.6mm) Fits into 5/16" (8mm) Hole Drive Type: Phillips</p> 	 <p>14992 Ford: N803946S; Chrysler: 6502871 Black Nylon</p> <p>Head Diameter: 19/32" (15mm) Stem Length: 29/32" (23mm) Fits into 1/4" (6.4mm) Hole Drive Type: Phillips</p> 	 <p>14753 GM: 15773445, 20452072, 20664092; Ford: N804570S; Chrysler: 4638136 Black Nylon</p> <p>Head Diameter: 11/16" (17.5mm) Stem Length: 7/8" (22mm) Fits into 1/4" (6.4mm) Hole Drive Type: Phillips</p> 																	

18 Varieties, 285 Pieces






























6710EPA					ESSENTIAL PRODUCTS ASSORTMENT PROGRAM Specialty & Tapping Screws					Auveco [®] PRODUCTS												
 <p>12213 GM: 11503421, 11503636 Black E-Coat</p> <p>#8-18 x 1/2" Phillips Flat Top Washer Head Washer Head Outer Diameter: 13/32" Point Type: AB</p> 	 <p>12214 Black E-Coat</p> <p>#8 x 5/8" Phillips Flat Top Washer Head Washer Head Outer Diameter: 13/32" Point Type: A/AB</p> 	 <p>12215 Black E-Coat</p> <p>#8 x 3/4" Phillips Flat Top Washer Head Washer Head Outer Diameter: 13/32" Point Type: A/AB</p> 	 <p>12216 Black E-Coat</p> <p>#8 x 1" Phillips Flat Top Washer Head Washer Head Outer Diameter: 13/32" Point Type: A/AB</p> 	 <p>12953 Black E-Coat</p> <p>#10 x 3/4" Phillips Flat Top Washer Head Washer Head Outer Diameter: 15/32" Point Type: A/AB</p> 	 <p>12954 Black E-Coat</p> <p>#10 x 1" Phillips Flat Top Washer Head Washer Head Outer Diameter: 15/32" Point Type: A/AB</p> 	 <p>13709 Chry: 9427977 Zinc</p> <p>#10 x 3/4" Phillips Flat Top Washer Head Washer Head Outer Diameter: 15/32" Point Type: AB</p> 	 <p>19278 GM: 14090382; Chry: 6506161-AA Black Phosphate</p> <p>M4-2.141 x 20mm (#8 x 25/32") Hex Head Sems® Washer Outer Diameter: 20mm (25/32") Hex: 7mm Point Type: AB</p> 	 <p>18340 Black Phosphate</p> <p>M4-8-1.61 x 15mm (#10 x 19/32") Phillips Truss Head Head Diameter: 14mm (9/16") Point Type: AB</p> 	 <p>20259 Honda: 90114-S23-000, 90114-SE0-000 Black E-Coat</p> <p>M4-8-1.61 x 19mm (#10 x 3/4") Phillips Truss Head Sems® Washer Outer Diameter: 16mm (5/8") Point Type: AB</p> 	 <p>20455 Black Phosphate</p> <p>M5-2.12 x 20mm (#12 x 25/32") Phillips Truss Head Head Outer Diameter: 14mm (9/16") Point Type: AB</p> 	 <p>19170 Black Phosphate</p> <p>M6-3-1.81 x 16mm (#14 x 5/8") Phillips Truss Head Head Outer Diameter: 15mm (19/32") Point Type: AB</p> 	 <p>12095 GM: 1689827 Zinc</p> <p>#8 x 1/2" Phillips Washer Head with Tek® Washer Head Outer Diameter: 7/16"</p> 	 <p>15774 GM: 20423550; Ford: 381801-S2, 390017-S2 Black Phosphate</p> <p>#8 x 1/2" Phillips Washer Head with Tek® Washer Head Outer Diameter: 7/16"</p> 	 <p>17650 Phosphate</p> <p>#8 x 3/4" Phillips Round Washer Head with Tek® Washer Head Outer Diameter: 7/16"</p> 	 <p>9611 Zinc</p> <p>#8 x 1/2" x 1/4" Hex Washer Head with Tek® Hex: 1/4"</p> 	 <p>9615 Zinc</p> <p>#10 x 3/4" Hex Washer Head with Tek® Hex: 5/16"</p> 	 <p>16421 Ford: N800369-S2 Black E-Coat</p> <p>#14 (1/4") x 5/8" Slotted Hex Washer Head Washer Head Outer Diameter: 5/8" Hex: 5/16" Point Type: B</p> 	 <p>18354 Black E-Coat (168 Hours Salt Spray)</p> <p>#14 x 3/4" Slotted Hex Washer Head Washer Head Outer Diameter: 1/2" Hex: 3/8" Point Type: AB</p> 	 <p>11369 Zinc</p> <p>#14 x 3/4" Slotted Hex Washer Head Washer Head Outer Diameter: 1/2" Hex: 3/8" Point Type: AB</p> 	 <p>16828 Zinc & Yellow Dichromate</p> <p>M6-3-1.81 x 20mm (#14 x 25/32") Hex Head Sems® Washer Outer Diameter: 18mm (45/64") Hex: 10mm Point Type: AB</p> 	 <p>12351 GM: 11505022 Black Phosphate</p> <p>M6-3-1.81 x 20mm (#14 x 25/32") Hex Washer Head Sems® Washer Outer Diameter: 17mm (11/16") Hex: 10mm Point Type: AB</p> 	
 <p>12954 Black E-Coat</p> <p>#10 x 1" Phillips Flat Top Washer Head Washer Head Outer Diameter: 15/32" Point Type: A/AB</p> 	 <p>13709 Chry: 9427977 Zinc</p> <p>#10 x 3/4" Phillips Flat Top Washer Head Washer Head Outer Diameter: 15/32" Point Type: AB</p> 	 <p>19278 GM: 14090382; Chry: 6506161-AA Black Phosphate</p> <p>M4-2.141 x 20mm (#8 x 25/32") Hex Head Sems® Washer Outer Diameter: 20mm (25/32") Hex: 7mm Point Type: AB</p> 	 <p>18340 Black Phosphate</p> <p>M4-8-1.61 x 15mm (#10 x 19/32") Phillips Truss Head Head Diameter: 14mm (9/16") Point Type: AB</p> 	 <p>20259 Honda: 90114-S23-000, 90114-SE0-000 Black E-Coat</p> <p>M4-8-1.61 x 19mm (#10 x 3/4") Phillips Truss Head Sems® Washer Outer Diameter: 16mm (5/8") Point Type: AB</p> 	 <p>20455 Black Phosphate</p> <p>M5-2.12 x 20mm (#12 x 25/32") Phillips Truss Head Head Outer Diameter: 14mm (9/16") Point Type: AB</p> 	 <p>19170 Black Phosphate</p> <p>M6-3-1.81 x 16mm (#14 x 5/8") Phillips Truss Head Head Outer Diameter: 15mm (19/32") Point Type: AB</p> 	 <p>12095 GM: 1689827 Zinc</p> <p>#8 x 1/2" Phillips Washer Head with Tek® Washer Head Outer Diameter: 7/16"</p> 	 <p>15774 GM: 20423550; Ford: 381801-S2, 390017-S2 Black Phosphate</p> <p>#8 x 1/2" Phillips Washer Head with Tek® Washer Head Outer Diameter: 7/16"</p> 	 <p>17650 Phosphate</p> <p>#8 x 3/4" Phillips Round Washer Head with Tek® Washer Head Outer Diameter: 7/16"</p> 	 <p>9611 Zinc</p> <p>#8 x 1/2" x 1/4" Hex Washer Head with Tek® Hex: 1/4"</p> 	 <p>9615 Zinc</p> <p>#10 x 3/4" Hex Washer Head with Tek® Hex: 5/16"</p> 	 <p>16421 Ford: N800369-S2 Black E-Coat</p> <p>#14 (1/4") x 5/8" Slotted Hex Washer Head Washer Head Outer Diameter: 5/8" Hex: 5/16" Point Type: B</p> 	 <p>18354 Black E-Coat (168 Hours Salt Spray)</p> <p>#14 x 3/4" Slotted Hex Washer Head Washer Head Outer Diameter: 1/2" Hex: 3/8" Point Type: AB</p> 	 <p>11369 Zinc</p> <p>#14 x 3/4" Slotted Hex Washer Head Washer Head Outer Diameter: 1/2" Hex: 3/8" Point Type: AB</p> 	 <p>16828 Zinc & Yellow Dichromate</p> <p>M6-3-1.81 x 20mm (#14 x 25/32") Hex Head Sems® Washer Outer Diameter: 18mm (45/64") Hex: 10mm Point Type: AB</p> 	 <p>12351 GM: 11505022 Black Phosphate</p> <p>M6-3-1.81 x 20mm (#14 x 25/32") Hex Washer Head Sems® Washer Outer Diameter: 17mm (11/16") Hex: 10mm Point Type: AB</p> 						
 <p>13709 Chry: 9427977 Zinc</p> <p>#10 x 3/4" Phillips Flat Top Washer Head Washer Head Outer Diameter: 15/32" Point Type: AB</p> 	 <p>19278 GM: 14090382; Chry: 6506161-AA Black Phosphate</p> <p>M4-2.141 x 20mm (#8 x 25/32") Hex Head Sems® Washer Outer Diameter: 20mm (25/32") Hex: 7mm Point Type: AB</p> 	 <p>18340 Black Phosphate</p> <p>M4-8-1.61 x 15mm (#10 x 19/32") Phillips Truss Head Head Diameter: 14mm (9/16") Point Type: AB</p> 	 <p>20259 Honda: 90114-S23-000, 90114-SE0-000 Black E-Coat</p> <p>M4-8-1.61 x 19mm (#10 x 3/4") Phillips Truss Head Sems® Washer Outer Diameter: 16mm (5/8") Point Type: AB</p> 	 <p>20455 Black Phosphate</p> <p>M5-2.12 x 20mm (#12 x 25/32") Phillips Truss Head Head Outer Diameter: 14mm (9/16") Point Type: AB</p> 	 <p>19170 Black Phosphate</p> <p>M6-3-1.81 x 16mm (#14 x 5/8") Phillips Truss Head Head Outer Diameter: 15mm (19/32") Point Type: AB</p> 	 <p>12095 GM: 1689827 Zinc</p> <p>#8 x 1/2" Phillips Washer Head with Tek® Washer Head Outer Diameter: 7/16"</p> 	 <p>15774 GM: 20423550; Ford: 381801-S2, 390017-S2 Black Phosphate</p> <p>#8 x 1/2" Phillips Washer Head with Tek® Washer Head Outer Diameter: 7/16"</p> 	 <p>17650 Phosphate</p> <p>#8 x 3/4" Phillips Round Washer Head with Tek® Washer Head Outer Diameter: 7/16"</p> 	 <p>9611 Zinc</p> <p>#8 x 1/2" x 1/4" Hex Washer Head with Tek® Hex: 1/4"</p> 	 <p>9615 Zinc</p> <p>#10 x 3/4" Hex Washer Head with Tek® Hex: 5/16"</p> 	 <p>16421 Ford: N800369-S2 Black E-Coat</p> <p>#14 (1/4") x 5/8" Slotted Hex Washer Head Washer Head Outer Diameter: 5/8" Hex: 5/16" Point Type: B</p> 	 <p>18354 Black E-Coat (168 Hours Salt Spray)</p> <p>#14 x 3/4" Slotted Hex Washer Head Washer Head Outer Diameter: 1/2" Hex: 3/8" Point Type: AB</p> 	 <p>11369 Zinc</p> <p>#14 x 3/4" Slotted Hex Washer Head Washer Head Outer Diameter: 1/2" Hex: 3/8" Point Type: AB</p> 	 <p>16828 Zinc & Yellow Dichromate</p> <p>M6-3-1.81 x 20mm (#14 x 25/32") Hex Head Sems® Washer Outer Diameter: 18mm (45/64") Hex: 10mm Point Type: AB</p> 	 <p>12351 GM: 11505022 Black Phosphate</p> <p>M6-3-1.81 x 20mm (#14 x 25/32") Hex Washer Head Sems® Washer Outer Diameter: 17mm (11/16") Hex: 10mm Point Type: AB</p> 							
 <p>19170 Black Phosphate</p> <p>M6-3-1.81 x 16mm (#14 x 5/8") Phillips Truss Head Head Outer Diameter: 15mm (19/32") Point Type: AB</p> 	 <p>12095 GM: 1689827 Zinc</p> <p>#8 x 1/2" Phillips Washer Head with Tek® Washer Head Outer Diameter: 7/16"</p> 	 <p>15774 GM: 20423550; Ford: 381801-S2, 390017-S2 Black Phosphate</p> <p>#8 x 1/2" Phillips Washer Head with Tek® Washer Head Outer Diameter: 7/16"</p> 	 <p>17650 Phosphate</p> <p>#8 x 3/4" Phillips Round Washer Head with Tek® Washer Head Outer Diameter: 7/16"</p> 	 <p>9611 Zinc</p> <p>#8 x 1/2" x 1/4" Hex Washer Head with Tek® Hex: 1/4"</p> 	 <p>9615 Zinc</p> <p>#10 x 3/4" Hex Washer Head with Tek® Hex: 5/16"</p> 	 <p>16421 Ford: N800369-S2 Black E-Coat</p> <p>#14 (1/4") x 5/8" Slotted Hex Washer Head Washer Head Outer Diameter: 5/8" Hex: 5/16" Point Type: B</p> 	 <p>18354 Black E-Coat (168 Hours Salt Spray)</p> <p>#14 x 3/4" Slotted Hex Washer Head Washer Head Outer Diameter: 1/2" Hex: 3/8" Point Type: AB</p> 	 <p>11369 Zinc</p> <p>#14 x 3/4" Slotted Hex Washer Head Washer Head Outer Diameter: 1/2" Hex: 3/8" Point Type: AB</p> 	 <p>16828 Zinc & Yellow Dichromate</p> <p>M6-3-1.81 x 20mm (#14 x 25/32") Hex Head Sems® Washer Outer Diameter: 18mm (45/64") Hex: 10mm Point Type: AB</p> 	 <p>12351 GM: 11505022 Black Phosphate</p> <p>M6-3-1.81 x 20mm (#14 x 25/32") Hex Washer Head Sems® Washer Outer Diameter: 17mm (11/16") Hex: 10mm Point Type: AB</p> 												
 <p>12095 GM: 1689827 Zinc</p> <p>#8 x 1/2" Phillips Washer Head with Tek® Washer Head Outer Diameter: 7/16"</p> 	 <p>15774 GM: 20423550; Ford: 381801-S2, 390017-S2 Black Phosphate</p> <p>#8 x 1/2" Phillips Washer Head with Tek® Washer Head Outer Diameter: 7/16"</p> 	 <p>17650 Phosphate</p> <p>#8 x 3/4" Phillips Round Washer Head with Tek® Washer Head Outer Diameter: 7/16"</p> 	 <p>9611 Zinc</p> <p>#8 x 1/2" x 1/4" Hex Washer Head with Tek® Hex: 1/4"</p> 	 <p>9615 Zinc</p> <p>#10 x 3/4" Hex Washer Head with Tek® Hex: 5/16"</p> 	 <p>16421 Ford: N800369-S2 Black E-Coat</p> <p>#14 (1/4") x 5/8" Slotted Hex Washer Head Washer Head Outer Diameter: 5/8" Hex: 5/16" Point Type: B</p> 	 <p>18354 Black E-Coat (168 Hours Salt Spray)</p> <p>#14 x 3/4" Slotted Hex Washer Head Washer Head Outer Diameter: 1/2" Hex: 3/8" Point Type: AB</p> 	 <p>11369 Zinc</p> <p>#14 x 3/4" Slotted Hex Washer Head Washer Head Outer Diameter: 1/2" Hex: 3/8" Point Type: AB</p> 	 <p>16828 Zinc & Yellow Dichromate</p> <p>M6-3-1.81 x 20mm (#14 x 25/32") Hex Head Sems® Washer Outer Diameter: 18mm (45/64") Hex: 10mm Point Type: AB</p> 	 <p>12351 GM: 11505022 Black Phosphate</p> <p>M6-3-1.81 x 20mm (#14 x 25/32") Hex Washer Head Sems® Washer Outer Diameter: 17mm (11/16") Hex: 10mm Point Type: AB</p> 													
 <p>16421 Ford: N800369-S2 Black E-Coat</p> <p>#14 (1/4") x 5/8" Slotted Hex Washer Head Washer Head Outer Diameter: 5/8" Hex: 5/16" Point Type: B</p> 	 <p>18354 Black E-Coat (168 Hours Salt Spray)</p> <p>#14 x 3/4" Slotted Hex Washer Head Washer Head Outer Diameter: 1/2" Hex: 3/8" Point Type: AB</p> 	 <p>11369 Zinc</p> <p>#14 x 3/4" Slotted Hex Washer Head Washer Head Outer Diameter: 1/2" Hex: 3/8" Point Type: AB</p> 	 <p>16828 Zinc & Yellow Dichromate</p> <p>M6-3-1.81 x 20mm (#14 x 25/32") Hex Head Sems® Washer Outer Diameter: 18mm (45/64") Hex: 10mm Point Type: AB</p> 	 <p>12351 GM: 11505022 Black Phosphate</p> <p>M6-3-1.81 x 20mm (#14 x 25/32") Hex Washer Head Sems® Washer Outer Diameter: 17mm (11/16") Hex: 10mm Point Type: AB</p> 																		
 <p>18354 Black E-Coat (168 Hours Salt Spray)</p> <p>#14 x 3/4" Slotted Hex Washer Head Washer Head Outer Diameter: 1/2" Hex: 3/8" Point Type: AB</p> 	 <p>11369 Zinc</p> <p>#14 x 3/4" Slotted Hex Washer Head Washer Head Outer Diameter: 1/2" Hex: 3/8" Point Type: AB</p> 	 <p>16828 Zinc & Yellow Dichromate</p> <p>M6-3-1.81 x 20mm (#14 x 25/32") Hex Head Sems® Washer Outer Diameter: 18mm (45/64") Hex: 10mm Point Type: AB</p> 	 <p>12351 GM: 11505022 Black Phosphate</p> <p>M6-3-1.81 x 20mm (#14 x 25/32") Hex Washer Head Sems® Washer Outer Diameter: 17mm (11/16") Hex: 10mm Point Type: AB</p> 																			

22 Varieties, 700 Pieces

Visit www.auveco.com for more information or to place an order.
Questions or concerns. Contact us at 1-800-354-9816 or mail@auveco.us














































6711EPA  					
ESSENTIAL PRODUCTS ASSORTMENT PROGRAM Hood & Single Head Retainers					
 <p>18877 Honda: 91530-SP1-003 Orange Nylon</p> <p>Head Size: 5mm x 15mm Stem Length: 10mm Stem Diameter: 6mm Fits into 6mm Hole Weatherstrip Retainer</p> 	 <p>19171 Honda: 91568-SR2-003 Green Nylon</p> <p>Head Size: 5mm x 15mm Stem Length: 10mm Fits into 5mm Hole Weatherstrip Retainer</p> 	 <p>17339 Ford: N806289-S Black Nylon</p> <p>Head Size: 5mm x 15mm Stem Length: 12mm Stem Diameter: 4mm Weatherstrip Retainer</p> 	 <p>18033 Chrysler: 4696129; GM: 21077575 White Nylon</p> <p>Head Size: 1/4" x 21/32" Stem Length: 15/32" Stem Diameter: 1/4" Weatherstrip Retainer</p> 	 <p>21307 Mazda: BP4K-58-762 Black Nylon</p> <p>Head Diameter: 9mm Stem Length: 7mm Stem Diameter: 5.5mm Weatherstrip Retaining Clip</p> 	 <p>18114 Honda: 91520-SM4-C01 Black Nylon</p> <p>Head Diameter: 10mm Stem Length: 10mm Stem Diameter: 7.5mm Fits into 6mm Hole Hood Insulation Retaining Clip</p> 
 <p>19682 Honda: 91518-S10-003 Black Nylon</p> <p>Head Diameter: 11mm Stem Length: 8mm Stem Diameter: 7mm Fits into 6mm Hole Hood Seal Retaining Clip</p> 	 <p>19114 Honda: 91518-SM4-003 Black Nylon</p> <p>Head Diameter: 12mm Stem Length: 9mm Stem Diameter: 8.5mm Fits into 6mm Hole Hood & Trunk Moulding Retaining Clip</p> 	 <p>18297 Toyota: 90467-08004, 90467-08011; GM: 94842841, 94849113 Black Nylon</p> <p>Head Diameter: 13mm Stem Length: 11mm Stem Diameter: 7.5mm Fits into 8mm Hole Hood Seal Retaining Clip</p> 	 <p>14021 Ford: N803170-S Black Nylon</p> <p>Head Diameter: 7/16" Stem Length: 1/2" Stem Diameter: 7/32" Fascia Retainer</p> 	 <p>11612 GM: 20413107; Ford: 388246S; AMC: 4006516 Black Nylon</p> <p>Head Diameter: 7/16" Stem Length: 5/8" Stem Diameter: 3/16" Weatherstrip Retainer</p> 	 <p>15367 GM: 20514862 Black Nylon</p> <p>Head Diameter: 19/32" Stem Length: 3/4" Stem Diameter: 7/32" Screen Shroud Vent Grille to Panel Retainer</p> 
 <p>11146 GM: 11569768, 15958694, 1605396; Ford: 388577S, W705589-S300; Chrysler: 6030441; Black Nylon</p> <p>Head Diameter: 11/16" Stem Length: 13/16" Stem Diameter: 5/16" Radiator Yoke, Fender & Bumper Shield Retainer</p> 	 <p>20192 Ford: W707889-S300 Black Nylon</p> <p>Head Diameter: 11/16" Stem Length: 1-3/4" Stem Diameter: 5/16" Mud Flap Retainer</p> 	 <p>14036 GM: 14074081 Black Nylon</p> <p>Head Diameter: 3/4" Stem Length: 1-3/8" Stem Diameter: 5/16" Rear Hood Seal Retainer</p> 	 <p>12766 GM: 22512276 Black Nylon</p> <p>Head Diameter: 7/8" Stem Length: 13/16" Stem Diameter: 7/16" Front End Stone Shield Retainer</p> 	 <p>15543 GM: 22547243, 11610086; Chrysler: 650191 Black Nylon</p> <p>Head Diameter: 7/8" Stem Length: 1-3/32" Stem Diameter: 5/16" Splash Shield & Wheel Well Cover Retainer</p> 	 <p>12571 Ford: 389443-S Black Nylon</p> <p>Head Diameter: 1" Stem Length: 13/16" Stem Diameter: 5/16" Fascia to Bumper Retainer</p> 
 <p>19729 Toyota: 90467-09050 Black Nylon</p> <p>Head Diameter: 25mm Stem Length: 10mm Stem Diameter: 9mm Fits into 7mm Hole Hood Insulation Retainer</p> 	 <p>20543 Hyundai: 81126-37010 Black Nylon</p> <p>Head Diameter: 26mm Stem Length: 14mm Stem Diameter: 12mm Hood Insulation Retainer</p> 	 <p>20164 Chrysler: 4878883AA Black Nylon</p> <p>Head Diameter: 30mm Stem Length: 12mm Stem Diameter: 8mm Hood Insulation Retainer</p> 	 <p>17004 Chrysler: 4341060 Black Nylon</p> <p>Head Diameter: 1-5/16" Stem Length: 3/4" Stem Diameter: 3/8" Hood Insulation & Fender Shield Retainer</p> 		

22 Varieties, 415 Pieces












































6712EPA  			
ESSENTIAL PRODUCTS ASSORTMENT PROGRAM J & U Nuts			
 <p>13216 Zinc</p> <p>Screw Size: 4.8mm (#10) Panel Range: .8mm-.2mm Center of Hole to Edge: 8mm U-Type Nut</p> 	 <p>11292 GM: 445429, 9422552 Phosphate</p> <p>Screw Size: #8 Panel Range: .045"-.062" Center of Hole to Edge: 3/8" U-Nut</p> 	 <p>10066 Phosphate</p> <p>Screw Size: #10 Panel Range: .025"-.125" Center of Hole to Edge: 11/32" Spring Type U-Nut</p> 	 <p>15752 Phosphate</p> <p>Screw Size: #10 Panel Range: .025"-.150" Center of Hole to Edge: 9/16" Spring Type U-Nut</p> 
 <p>10067 Phosphate</p> <p>Screw Size: #14 Panel Range: .025"-.125" Center of Hole to Edge: 3/8" Spring Type U-Nut</p> 	 <p>2293 GM: 9431647 Phosphate</p> <p>Machine Screw Size: 1/4"-20 Panel Range: .064"-.125" Center of Hole to Edge: 9/16" U-Nut</p> 	 <p>21017 Nissan: 76882-0M000 White Nylon</p> <p>Screw Size: M4.8 (#10) Panel Range: 1.5mm Max. Center of Hole to Edge: 8mm Nylon U-Nut</p> 	
 <p>14750 Toyota: 53879-14010-A, 53879-14020, 53879-22030; GM: 94841226; Mazda: LA01-56-135 Black Nylon</p> <p>Screw Size: #10 Panel Range: 1mm Max. Center of Hole to Edge: 11mm Width: 20mm, Length: 31mm Fender/Wheel Housing U-Nut</p> 	 <p>20956 Toyota: 90467-05114 Black Nylon</p> <p>Screw Size: M5.5 (#12) Panel Range: 1mm Max. Center of Hole to Edge: 14mm Width: 20mm, Length: 36mm Bumper & Fender Apron U-Nut</p> 	 <p>10064 Phosphate</p> <p>Screw Size: #6 Panel Range: .025"-.125" Center of Hole to Edge: 3/8" Spring Type U-Nut</p> 	 <p>10065 Phosphate</p> <p>Screw Size: #8 Panel Range: .025"-.125" Center of Hole to Edge: 3/8" Spring Type U-Nut</p> 
 <p>9880 GM: 9424837, 9431530; Ford: 381818-S2 Phosphate</p> <p>Screw Size: #8 Panel Range: .025"-.150" Center of Hole to Edge: 3/8" Spring Type U-Nut</p> 	 <p>9879 GM: 9440178, 11504531; Ford: 381863-S2 Phosphate</p> <p>Screw Size: #8 Panel Range: .025"-.150" Center of Hole to Edge: 5/8" Spring Type U-Nut</p> 		 <p>5589 Phosphate</p> <p>Screw Size: 5/16"-18 USS Panel Range: .087"-.093" Center of Hole to Edge: 9/16" J Type Cage Nut</p> 

14 Varieties, 440 Pieces






































Visit www.auveco.com for more information or to place an order.
Questions or concerns. Contact us at 1-800-354-9816 or mail@auveco.us

6713EPA  					
ESSENTIAL PRODUCTS ASSORTMENT PROGRAM Push-Type Retainers #2					
 21328 Hyundai: 86155-2H100 Black Nylon Head Diameter: 15mm Stem Length: 10mm Fits into 7mm Hole Cowl & Bumper 	 21658 Mitsubishi: MR288150; Subaru: 909130013 Black Nylon Head Diameter: 15mm Stem Length: 11mm Fits into 6mm Hole 	 17162 GM: 96057846; Hyundai: 86155-22000; Toyota: 90467-07041 Black Nylon Head Diameter: 15mm Stem Length: 8mm (Excluding Pin) Fits into 6.3mm Hole 	 21173 Honda: 91506-S9A-003 Black Nylon Head Diameter: 20mm Stem Length: 16mm Fits into 10mm Hole Bumper & Splash Shield with Metal Insert 	 20349 Toyota: 90467-08185; Nissan: 01553-09611 Black Nylon Head Diameter: 18mm Stem Length: 10mm (Excluding Pin) Fits into 8mm Hole Bumper Clip 	 20988 GM: 11589289; Chrysler: 6508863-AA Black Nylon Head Diameter: 18mm Stem Length: 17.5mm Fits into 6.5mm Hole Air Distributor & Windshield Defroster 
 22039 Nissan: 01553-2DR9A Black Nylon Top Head Dia.: 16mm x 19mm Bottom Head Dia.: 20mm Stem Length: 12mm Fits into 8mm Hole 	 22253 Hyundai: 86595-2T500, 14206-08250-B Black Nylon Head Diameter: 18mm Stem Length: 14mm Fits into 8mm Hole Bumper, Engine Under Cover & Fender Liner 	 20327 Nissan: 63848-9E001 Black Nylon Head Diameter: 18mm Stem Length: 22mm Fits into 9mm Hole Bumper Fascia 	 18873 Toyota: 52161-16010, 52161-02020 Black Nylon Head Diameter: 18mm Stem Length: 28mm Fits into 9mm Hole Rear Bumper Cover 	 21192 Nissan: 01553-05323; Mazda: L33X13209 Black Nylon Head Diameter: 20mm Stem Length: 12mm Fits into 8mm Hole Cowl, Bumper & Fender Liner 	 21201 Toyota: 90467-07211 Black Nylon Head Diameter: 19mm Stem Length: 6mm Fits into 7mm Hole Bumper, Radiator Cover & Grille 
 21422 Subaru: 909140051 Black Nylon Head Diameter: 20mm Stem Length: 9mm (Excluding Pin) Fits into 7mm Hole Front Bumper & Quarter Panel 	 19239 GM: 11519949; Honda: 91512-SX0-003; Mitsubishi: MU000319 Black Nylon Head Diameter: 20mm Stem Length: 11mm Fits into 8mm Hole Front Fender, Interior Trim, Washer Tank & Bumper Support 	 20564 Honda: 91503-SZ5-003 Black Nylon Head Diameter: 20mm Stem Length: 18mm Fits into 10mm Hole Front & Rear Bumper 	 20908 Suzuki: 09409-07332; Toyota: 90467-07164 Black Nylon Head Diameter: 20mm Stem Length: 10mm Fits into 7mm Hole Fender Splash Shield 	 20889 GM: 11589293; Ford: W712196-S300 Black Nylon Head Diameter: 20mm Stem Length: 22mm Fits into 8.5mm Hole Cowl Vent & Fender 	 20991 GM: 11589292 Black Nylon Head Diameter: 20mm Stem Length: 20mm Fits into 8.5mm Hole Bumper Fascia, Flares & Air Dam 
 20632 GM: 11518017; Ford: W708530-S300 Black Nylon Head Diameter: 20mm Stem Length: 26mm Fits into 8mm Hole Bumper Cover & Fender Shield 	 17216 GM: 21030249; Ford: N807389S; Chrysler: 6503598 Black Nylon Head Diameter: 20mm Stem Length: 20mm Fits into 8mm Hole Air Baffle to Under Carriage 	 21420 Subaru: 909140007 Black Nylon Head Diameter: 21mm Stem Length: 15mm (Excluding Pin) Fits into 10mm Hole Bumper, Engine Cover, Fender & Grille 	 22703 Honda: 91505-TY2-003 Black Nylon Head Diameter: 30mm Stem Length: 12mm Fits into 10mm Hole Engine Cover 		














































22 Varieties, 230 Pieces

6714EPA  					
ESSENTIAL PRODUCTS ASSORTMENT PROGRAM Pushnut Retainers					
 16851 Zinc Screw Size: 9/64" (#6) Outer Diameter: 11/32" Used for: Threaded Fasteners Pushnut Bolt Retainer 	 10085 Phosphate Screw Size: 5/32 (#8) Outer Diameter: 3/8" Used for: Threaded Fasteners Pushnut Bolt Retainer 	 16852 Phosphate Screw Size: 3/16" (#10) Outer Diameter: 7/16" Used for: Threaded Fasteners Pushnut Bolt Retainer 	 10086 Zinc Screw Size: 1/4" Outer Diameter: 1/2" Used for: Threaded Fasteners Pushnut Bolt Retainer 	 10087 Zinc Screw Size: 5/16" Outer Diameter: 5/8" Used for: Threaded Fasteners Pushnut Bolt Retainer 	 9299 Zinc Screw Size: 1/2" Outer Diameter: 15/16" Used for: Threaded Fasteners Pushnut Bolt Retainer 
 8863 Zinc Stud Size: 1/8" Outer Diameter: 3/8" Used for: Non-threaded Fasteners Flat Push-On Retainers 	 8864 Zinc Stud Size: 5/32" Outer Diameter: 7/16" Used for: Non-threaded Fasteners Flat Push-On Retainers 	 8865 Zinc Stud Size: 3/16" Outer Diameter: 7/16" Used for: Non-threaded Fasteners Flat Push-On Retainers 	 8868 Zinc Stud Size: 1/4" Outer Diameter: 17/32" Used for: Non-threaded Fasteners Flat Push-On Retainers 	 8869 Zinc Stud Size: 5/16" Outer Diameter: 5/8" Used for: Non-threaded Fasteners Flat Push-On Retainers 	 10374 Zinc Stud Size: 3/8" Outer Diameter: 3/4" Used for: Non-threaded Fasteners Flat Push-On Retainers 
 12123 Zinc Screw Size: M6-1.0 Outer Diameter: 12.7MM Used for: Threaded Fasteners Pushnut Bolt Retainer 	 14980 Zinc Screw Size: M6-1.0 Outer Diameter: 17MM Used for: Threaded Fasteners Pushnut Bolt Retainer 	 12126 Phosphate Screw Size: M10-1.5 Outer Diameter: 19.8MM Used for: Threaded Fasteners Pushnut Bolt Retainer 	 12127 Zinc Type: Pushnut Screw Size: M12-1.75 Outer Diameter: 21.4MM Used for: Threaded Fasteners Pushnut Bolt Retainer 	 22797 Black Phosphate Metal Bolt Size: 1/4" Outer Diameter: 1/2" Used for: Threaded Fasteners Pushnut Bolt Retainer 	 22798 Black Phosphate Metal Bolt Size: 5/16" Outer Diameter: 5/8" Used for: Threaded Fasteners Pushnut Bolt Retainer 
 22799 Black Phosphate Bolt Size: 3/8" Outer Diameter: 25/32" Used for: Threaded Fasteners Pushnut Bolt Retainer 	 22800 Black Phosphate Metal Bolt Size: 1/2" Outer Diameter: 15/16" Used for: Threaded Fasteners Pushnut Bolt Retainer 	 22802 Black Phosphate Metal Bolt Size: 7/16" Outer Diameter: 27/32" Used for: Threaded Fasteners Pushnut Bolt Retainer 			






































21 Varieties, 1,000 Pieces

6715EPA  				
ESSENTIAL PRODUCTS ASSORTMENT PROGRAM Door, Rocker Panel & Weatherstrip Retainers				
 14921 GM: 20699808; Chry: 6502328 Black Nylon Head Diameter: 10mm Stem Diameter: 6mm Stem Length: 12mm Door Weatherstrip 	 21705 Honda: 90651-TP8-003, 91568-TR0-003 Yellow Nylon Top Head Size: 5mm x 15mm Bottom Head Diameter: 7.5mm Stem Diameter: 6.5mm Stem Length: 7mm Weatherstrip 	 19850 Ford: N806340-S Natural Nylon Head Size: 5mm x 15mm Stem Diameter: 5mm Stem Length: 8mm Weatherstrip 	 18692 Toyota: 67868-89101, 67867-28030, 67867-89103 Ford: E7GZ-6120586-B Natural Nylon Head Size: 5mm x 15mm Stem Length: 10mm Fits into 5mm Hole Weatherstrip 	 21334 Ford: W711858-S300 White Nylon Head Size: 5mm x 15mm Stem Diameter: 8mm Stem Length: 8mm Weatherstrip 
 14328 Honda: 90664-671-003, 91530-SE0-003 White Nylon Head Size: 7mm x 16mm Stem Diameter: 6mm Stem Length: 10mm Fits into 5mm Hole Weatherstrip 	 22767 Nissan: 80897-7J100 Yellow Nylon Head Size: 17mm x 20mm Stem Diameter: 7mm Stem Length: 19mm Fits into 6mm Hole Door Insulator Clip 	 20316 Ford: 388904-S; Chrysler: 4381395, 6501086 Black Nylon Head Diameter: 1" Stem Diameter: 5/16" Stem Length: 13/16" Door Frame Spacer 	 18848 Ford: F582-16237A02-A Yellow Nylon Top Head Diameter: 1/2" Bottom Head Diameter: 3/4" Stem Diameter: 3/8" Stem Length: 11/16" Door Trim Panel 	
 12565 Ford: N801925-S Black Nylon Top Head Diameter: 1/2" Bottom Head Diameter: 25/32" Stem Diameter: 5/16" Stem Length: 5/8" Door Trim Panel 	 13470 Ford: N802900 White Nylon Top Head Diameter: 1/2" Bottom Head Diameter: 3/4" Stem Diameter: 5/8" Stem Length: 5/8" Door Trim Panel 	 12737 GM: 12337920, 20374473 White Nylon Top Head Diameter: 21/32" Bottom Head Diameter: 3/4" Stem Diameter: 5/16" Stem Length: 3/4" Door Panel Retainer 	 12992 GM: 10073833, 15600382, 20421800 White Nylon Top Head Diameter: 9/32" x 19/32" Bottom Head Diameter: 3/4" x 7/8" Stem Diameter: 5/16" Stem Length: 3/4" Door Trim Panel 	
 20607 GM: 10323057 White Nylon Top Head Size: 12mm x 20mm Bottom Head Size: 12mm x 24mm Stem Length: 14mm Fits into 9mm Hole Rocker Panel Moulding Clip 	 21374 GM: 11571175; Chrysler: 68172491AA Gray Nylon Top Head Size: 12mm x 20mm Bottom Head Size: 12mm x 20mm Stem Length: 11mm Fits into 9mm Hole Rocker Moulding 	 19822 GM: 25693852 Gray Nylon Top Head Size: 9/16" x 3/4" Bottom Head Size: 5/8" x 3/4" Stem Length: 9/16" Fits into 7/16" Hole 	 20774 GM: 5724529 White Nylon Top Head Size: 9/16" x 13/16" Bottom Head Size: 5/8" x 13/16" Stem Length: 9/16" Fits into 3/8" Hole Rocker & Grille Moulding 	 19821 GM: 10431761 Gray Nylon Top Head Size: 11/16" x 1-1/2" Bottom Head Size: 7/8" x 1-9/16" Stem Length: 1-1/4" Fits into 7/16" Hole Rocker Panel Moulding 






































18 Varieties, 370 Pieces

6716EPA  					
ESSENTIAL PRODUCTS ASSORTMENT PROGRAM Universal Retainers					
 17612 Chry: 6504043; Ford: N807721-S Black Nylon Head Diameter: 5/8" Stem Diameter: 3/8" Stem Length: 3/4" Trim Panel & Lid Latch 	 10831 GM: 332364, 14093311, 20732399; Ford: 389358, W701259-S300; Chry: 3691590, 6031321, 6505411-AA; AMC: 4004569 Black Nylon Head Diameter: 11/16" Stem Diameter: 5/16" Stem Length: 5/8" Fender & Bumper Shield 	 11146 GM: 11569768, 15958694, 1605396; Chry: 6030441; Ford: 388577S, W705589-S300 Black Nylon Head Diameter: 11/16" Stem Diameter: 5/16" Stem Length: 13/16" Radiator Yoke, Fender & Bumper Shield 	 19250 White Nylon Head Diameter: 11/16" Stem Diameter: 5/16" Stem Length: 13/16" Trim Panel 	 22473 Toyota: 90467-A0002-C0 Black Nylon Head Diameter: 16mm Stem Diameter: 8mm Stem Length: 16mm Trunk Side Trim 	 19893 Chry: 6501948 Black Nylon Head Diameter: 5/8" Stem Diameter: 1/4" Stem Length: 3/4" Fender & Bumper Shield 
 16818 GM: 21094146, 21110201; Chry: 6501301 Black Nylon Head Diameter: 3/4" Stem Diameter: 11/32" Stem Length: 7/8" Sliding Door, Lift Gate & Trim Panel 	 19837 Black Nylon Head Diameter: 3/4" Stem Diameter: 1/32" Stem Length: 13/16" Trim Panel 	 22555 Hyundai: 0B102-6886 Black Nylon Head Diameter: 20mm Stem Diameter: 7mm Stem Length: 13mm Trunk Trim 	 20360 GM: 22189414; Chry: 6505667-AA Black Nylon Head Diameter: 15/16" Stem Diameter: 3/8" Stem Length: 3/4" Engine Compartment & Front End 	 12731 GM: 20319841 Black Nylon Head Diameter: 25/32" Stem Diameter: 5/16" Stem Length: 15/16" Seat Back 	 17664 GM: 10121502; Ford: 390018-S; Chry: 6033082, 6033840 Black Nylon Head Diameter: 11/16" Stem Diameter: 5/16" Stem Length: 1-1/16" Shield, Battery Post Cable Shield, Engine Splash Shield, Radiator Side Air Baffle 
 15480 Ford: N802734S; GM: 22718305 Black Nylon Head Diameter: 25mm Stem Diameter: 8mm Stem Length: 20mm Trim Panel & Hood Insulation 	 12137 GM: 1619321 Black Nylon Head Diameter: 1" Stem Diameter: 7/16" Stem Length: 13/16" Radiator Apron Panel 	 12909 Ford: 388930-S Black Nylon Head Diameter: 1" Stem Diameter: 9/32" Stem Length: 1-1/16" Trim Panel 	 18301 GM: 10185925; Chry: 6503768 Black Nylon Head Diameter: 3/4" Stem Diameter: 11/32" Stem Length: 1-3/16" Bumper Fascia 	 15478 GM: 1631564; Ford: N804379S, W706358-S300 Black Nylon Head Diameter: 22mm Stem Diameter: 11mm Stem Length: 28mm Bumper Fascia 	 12759 GM: 14027471 Black Nylon Head Diameter: 1" Stem Diameter: 9/32" Stem Length: 1-7/16" Trim Panel 
 14032 GM: 15588078 Black Nylon Head Diameter: 3/4" Stem Diameter: 5/16" Stem Length: 1-1/4" Pillar Cover 	 20366 Ford: W701855-S300 Black Nylon Head Diameter: 22mm Stem Diameter: 7.5mm Stem Length: 35mm Fender Liner & Mud Flap 	 15479 Ford: N804349S Black Nylon Head Diameter: 26mm Stem Diameter: 8mm Stem Length: 38mm Interior Trim Panel 	 20926 Ford: W710532-S300 Black Nylon Head Diameter: 18mm Stem Diameter: 7.5mm Stem Length: 44mm Rocker Moulding & Cowl Vent 		

22 Varieties, 405 Pieces






















































































6717EPA					ESSENTIAL PRODUCTS ASSORTMENT PROGRAM					Foreign Splash Shield									
 <p>21294 Toyota: 90467-07214 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 9mm Fits into 7mm Hole Radiator Splash Shield</p> 		 <p>17379 Honda: 91512-SM4-003 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 9mm Fits into 8mm Hole Fender Splash Shield</p> 		 <p>20908 Toyota: 90467-07164; Suzuki: 09409-07332 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 10mm Fits into 7mm Hole Fender Splash Shield</p> 		 <p>20959 Honda: 91560-S9A-A01 Blue Nylon</p> <p>Top Head Diameter: 13mm Middle Head Diameter: 16mm Bottom Head Diameter: 15mm Stem Diameter: 9.5mm Stem Length: 13mm Door Panel</p> 		 <p>19233 Honda: 91503-S23-003 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 13mm Fits into 10mm Hole Front Bumper</p> 											
 <p>21706 Honda: 91505-TM8-003 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 14mm Fits into 10mm Hole Bumper & Wheel Well Liner</p> 		 <p>19239 Honda: 91512-SX0-003; Mitsubishi: MU000319; GM: 11519949 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 11mm Fits into 8mm Hole Front Fender, Interior Trim, Washer Tank & Bumper Support</p> 		 <p>20564 Honda: 91503-S25-003 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 18mm Fits into 10mm Hole Front & Rear Bumper</p> 		 <p>21173 Honda: 91506-S9A-003 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 16mm Fits into 10mm Hole Bumper & Splash Shield with Metal Insert</p> 		 <p>20986 Honda: 91505-S9A-003 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 13mm Fits into 10mm Hole Front Bumper with Internal Metal Insert</p> 											
 <p>20955 Toyota: 90467-07201 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 10mm Fits into 7mm Hole Engine Under Cover</p> 		 <p>14260 Mazda: 9926-50-625; GM: 20426301; Toyota: 90467-06017 Black Nylon</p> <p>Head Diameter: 15mm Stem Length: 12mm Fits into 7mm Hole</p> 		 <p>20869 GM: 89970767; Toyota: 90467-10183 Black Nylon</p> <p>Head Diameter: 18mm Stem Length: 7.5mm Fits into 7mm Hole Front Fender Liner</p> 		 <p>21192 Nissan: 01553-05323; Mazda: L33X13209 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 12mm Fits into 8mm Hole Cowl, Bumper & Fender Liner</p> 		 <p>16858 Nissan: 63844-01A00; Kia: MNA01-56-145; Ford: MNA01-56145, NA01-56145; Mazda: NA01-56-145; Black Nylon</p> <p>Head Diameter: 20mm (25/32") Stem Length: 18mm (23/32") Fits into 8mm (5/16") Hole Inner Fender</p> 											
 <p>20953 Nissan: 11296-AG000 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 13mm Fits into 8mm Hole Front Bumper & Radiator Support</p> 		 <p>19274 Nissan: 01553-09321 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 9mm (Excluding Pin) Fits into 8mm Hole</p> 		 <p>19246 Nissan: 01553-09241 Black Nylon</p> <p>Head Diameter: 18mm Stem Length: 15mm Fits into 10mm Hole Bumper</p> 															

18 Varieties, 205 Pieces






















































































6718EPA					ESSENTIAL PRODUCTS ASSORTMENT PROGRAM					Domestic Splash Shield #1									
 <p>11146 GM: 11569768, 19558694, 1605396; Ford: 388577S, W705589-S300 Chrysler: 6030441; Black Nylon</p> <p>Head Diameter: 11/16" Stem Diameter: 5/16" Stem Length: 13/16" Radiator Yoke, Fender & Bumper Shield</p> 		 <p>18301 GM: 10185925; Chrysler: 6503768 Black Nylon</p> <p>Head Diameter: 3/4" Stem Length: 11/32" Stem Diameter: 1-3/16" Bumper Fascia</p> 		 <p>12567 GM: 14019205, 14019206, 16514113; Chrysler: 34201621, 6504090 Black Nylon</p> <p>Head Diameter: 11/16" (17.5mm) Stem Length: 9/16" (14.3mm) Fits into 1/4" (6.4mm) Hole Front Fender Mud Skirt & Liner</p> 		 <p>19801 GM: 21077123; Chrysler: 6509103AA Ford: W705436-S300 Black Nylon</p> <p>Head Diameter: 19/32" (15mm) Stem Length: 3/4" (19mm) Fits into 1/4" (6.4mm) Hole Wheel Opening Moulding</p> 		 <p>20880 GM: 11589290; Chrysler: 6509049AA; Ford: W714040-S300 Black Nylon</p> <p>Head Diameter: 18mm Stem Length: 20mm Fits into 6.5mm Hole Air Inlet Grille, Bumper Fascia & Front Brake Caliper Cooling Duct</p> 											
 <p>12757 GM: 5973400 Black Nylon</p> <p>Head Diameter: 1" (25.4mm) Shoulder Length: 1/8" (3.2mm) Stem Length: 3/4" (19mm) Fits into 1/2" (12.7mm) Hole Fascia</p> 		 <p>14011 GM: 14019226, 14071289 Black Nylon</p> <p>Head Diameter: 21/32" (16.7mm) Stem Length: 9/16" (14.3mm) Fits into 5/16" (8mm) Hole Radiator Overflow Bottle/Windshield Washer Bottle</p> 		 <p>13994 GM: 20570245, 20635065; Ford: N804614S Black Nylon</p> <p>Head Diameter: 1" (25.4mm) Stem Length: 7/8" (22mm) Fits into 5/16" (8mm) Hole Splash Shield, Seat Cushion & Spare Tire</p> 		 <p>13993 GM: 20510029; Ford: N803362-S; Chrysler: 34202672 Black Nylon</p> <p>Head Diameter: 19/32" (15mm) Stem Length: 7/8" (22mm) Fits into 1/4" (6.4mm) Hole</p> 		 <p>14036 GM: 14074081 Black Nylon</p> <p>Head Diameter: 3/4" Stem Length: 5/16" Stem Length: 1-3/8" Rear Hood Seal</p> 											
 <p>18416 GM: 11505044 Black Phosphate</p> <p>M6-1.0 x 35mm Hex Head Sems® Body Bolt Washer O.D.: 17mm Hex: 10mm Class 9.8 Point Type: CA</p> 		 <p>19278 GM: 14090382; Chrysler: 6506161-AA Black Phosphate</p> <p>M4.2-1.41 x 20mm (#8 x 25/32") Hex Head Sems® Tapping Screw Washer O.D.: 20mm (25/32") Hex: 7mm Point Type: AB</p> 		 <p>12693 GM: 11502941, 11506174 Phosphate</p> <p>M6-1.0 x 20mm Hex Head Sems® Body Bolt Washer O.D.: 17mm Hex: 10mm Class 9.8 Point Type: CA</p> 		 <p>12065 GM: 11503834, 20351035 Phosphate</p> <p>M6-1.0 x 25mm Hex Head Sems® Body Bolt Washer O.D.: 17mm Hex: 10mm Class 9.8 Point Type: CA</p> 		 <p>12323 GM: 11504493 Black Polyseal</p> <p>M6-1.0 x 25mm Hex Head Sems® Body Bolt Washer O.D.: 24mm Hex: 10mm Class 9.8 Point Type: CA</p> 											
 <p>12336 GM: 11503632 Phosphate</p> <p>M8-1.25 x 25mm Hex Washer Head Body Bolt Washer O.D.: 17mm Hex: 13mm Class 9.8 Point Type: CA</p> 		 <p>13614 GM: 11501188 Phosphate</p> <p>M8-1.25 x 30mm Hex Head Sems® Body Bolt Washer O.D.: 24mm Hex: 13mm Class 9.8 Point Type: CA</p> 		 <p>13705 GM: 11503668 Phosphate</p> <p>M8-1.25 x 35mm Hex Head Sems® Body Bolt Washer O.D.: 24mm Hex: 13mm Class 9.8 Point Type: CA</p> 															

18 Varieties, 310 Pieces

Visit www.auveco.com for more information or to place an order.
Questions or concerns. Contact us at 1-800-354-9816 or mail@auveco.us





































6717EPA					ESSENTIAL PRODUCTS ASSORTMENT PROGRAM					Foreign Splash Shield																													
 <p>21294 Toyota: 90467-07214 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 9mm Fits into 7mm Hole Radiator Splash Shield</p> 		 <p>17379 Honda: 91512-SM4-003 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 9mm Fits into 8mm Hole Fender Splash Shield</p> 		 <p>20908 Toyota: 90467-07164; Suzuki: 09409-07332 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 10mm Fits into 7mm Hole Fender Splash Shield</p> 		 <p>20959 Honda: 91560-S9A-A01 Blue Nylon</p> <p>Top Head Diameter: 13mm Middle Head Diameter: 16mm Bottom Head Diameter: 15mm Stem Diameter: 9.5mm Stem Length: 13mm Door Panel</p> 		 <p>19233 Honda: 91503-S23-003 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 13mm Fits into 10mm Hole Front Bumper</p> 		 <p>21706 Honda: 91505-TM8-003 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 14mm Fits into 10mm Hole Bumper & Wheel Well Liner</p> 		 <p>19239 Honda: 91512-SX0-003; Mitsubishi: MU000319; GM: 11519949 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 11mm Fits into 8mm Hole Front Fender, Interior Trim, Washer Tank & Bumper Support</p> 		 <p>20564 Honda: 91503-S25-003 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 18mm Fits into 10mm Hole Front & Rear Bumper</p> 		 <p>21173 Honda: 91506-S9A-003 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 16mm Fits into 10mm Hole Bumper & Splash Shield with Metal Insert</p> 		 <p>20986 Honda: 91505-S9A-003 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 13mm Fits into 10mm Hole Front Bumper with Internal Metal Insert</p> 		 <p>20955 Toyota: 90467-07201 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 10mm Fits into 7mm Hole Engine Under Cover</p> 		 <p>14260 Mazda: 9926-50-625; GM: 20426301; Toyota: 90467-06017 Black Nylon</p> <p>Head Diameter: 15mm Stem Length: 12mm Fits into 7mm Hole</p> 		 <p>20869 GM: 89970767; Toyota: 90467-10183 Black Nylon</p> <p>Head Diameter: 18mm Stem Length: 7.5mm Fits into 7mm Hole Front Fender Liner</p> 		 <p>21192 Nissan: 01553-05323; Mazda: L33X13209 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 12mm Fits into 8mm Hole Cowl, Bumper & Fender Liner</p> 		 <p>16858 Nissan: 63844-01A00; Kia: MNA01-56-145; Ford: MNA01-56145, NA01-56145; Mazda: NA01-56-145; Black Nylon</p> <p>Head Diameter: 20mm (25/32") Stem Length: 18mm (23/32") Fits into 8mm (5/16") Hole Inner Fender</p> 		 <p>20953 Nissan: 11296-AG000 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 13mm Fits into 8mm Hole Front Bumper & Radiator Support</p> 		 <p>19274 Nissan: 01553-09321 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 9mm (Excluding Pin) Fits into 8mm Hole</p> 		 <p>19246 Nissan: 01553-09241 Black Nylon</p> <p>Head Diameter: 18mm Stem Length: 15mm Fits into 10mm Hole Bumper</p> 					
 <p>21706 Honda: 91505-TM8-003 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 14mm Fits into 10mm Hole Bumper & Wheel Well Liner</p> 		 <p>19239 Honda: 91512-SX0-003; Mitsubishi: MU000319; GM: 11519949 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 11mm Fits into 8mm Hole Front Fender, Interior Trim, Washer Tank & Bumper Support</p> 		 <p>20564 Honda: 91503-S25-003 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 18mm Fits into 10mm Hole Front & Rear Bumper</p> 		 <p>21173 Honda: 91506-S9A-003 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 16mm Fits into 10mm Hole Bumper & Splash Shield with Metal Insert</p> 		 <p>20986 Honda: 91505-S9A-003 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 13mm Fits into 10mm Hole Front Bumper with Internal Metal Insert</p> 		 <p>20955 Toyota: 90467-07201 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 10mm Fits into 7mm Hole Engine Under Cover</p> 		 <p>14260 Mazda: 9926-50-625; GM: 20426301; Toyota: 90467-06017 Black Nylon</p> <p>Head Diameter: 15mm Stem Length: 12mm Fits into 7mm Hole</p> 		 <p>20869 GM: 89970767; Toyota: 90467-10183 Black Nylon</p> <p>Head Diameter: 18mm Stem Length: 7.5mm Fits into 7mm Hole Front Fender Liner</p> 		 <p>21192 Nissan: 01553-05323; Mazda: L33X13209 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 12mm Fits into 8mm Hole Cowl, Bumper & Fender Liner</p> 		 <p>16858 Nissan: 63844-01A00; Kia: MNA01-56-145; Ford: MNA01-56145, NA01-56145; Mazda: NA01-56-145; Black Nylon</p> <p>Head Diameter: 20mm (25/32") Stem Length: 18mm (23/32") Fits into 8mm (5/16") Hole Inner Fender</p> 		 <p>20953 Nissan: 11296-AG000 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 13mm Fits into 8mm Hole Front Bumper & Radiator Support</p> 		 <p>19274 Nissan: 01553-09321 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 9mm (Excluding Pin) Fits into 8mm Hole</p> 		 <p>19246 Nissan: 01553-09241 Black Nylon</p> <p>Head Diameter: 18mm Stem Length: 15mm Fits into 10mm Hole Bumper</p> 															
 <p>20955 Toyota: 90467-07201 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 10mm Fits into 7mm Hole Engine Under Cover</p> 		 <p>14260 Mazda: 9926-50-625; GM: 20426301; Toyota: 90467-06017 Black Nylon</p> <p>Head Diameter: 15mm Stem Length: 12mm Fits into 7mm Hole</p> 		 <p>20869 GM: 89970767; Toyota: 90467-10183 Black Nylon</p> <p>Head Diameter: 18mm Stem Length: 7.5mm Fits into 7mm Hole Front Fender Liner</p> 		 <p>21192 Nissan: 01553-05323; Mazda: L33X13209 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 12mm Fits into 8mm Hole Cowl, Bumper & Fender Liner</p> 		 <p>16858 Nissan: 63844-01A00; Kia: MNA01-56-145; Ford: MNA01-56145, NA01-56145; Mazda: NA01-56-145; Black Nylon</p> <p>Head Diameter: 20mm (25/32") Stem Length: 18mm (23/32") Fits into 8mm (5/16") Hole Inner Fender</p> 		 <p>20953 Nissan: 11296-AG000 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 13mm Fits into 8mm Hole Front Bumper & Radiator Support</p> 		 <p>19274 Nissan: 01553-09321 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 9mm (Excluding Pin) Fits into 8mm Hole</p> 		 <p>19246 Nissan: 01553-09241 Black Nylon</p> <p>Head Diameter: 18mm Stem Length: 15mm Fits into 10mm Hole Bumper</p> 																									
 <p>20953 Nissan: 11296-AG000 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 13mm Fits into 8mm Hole Front Bumper & Radiator Support</p> 		 <p>19274 Nissan: 01553-09321 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 9mm (Excluding Pin) Fits into 8mm Hole</p> 		 <p>19246 Nissan: 01553-09241 Black Nylon</p> <p>Head Diameter: 18mm Stem Length: 15mm Fits into 10mm Hole Bumper</p> 																																			

18 Varieties, 205 Pieces



































6718EPA					ESSENTIAL PRODUCTS ASSORTMENT PROGRAM					Domestic Splash Shield #1																													
 <p>11146 GM: 11569768, 15958694, 1605396; Ford: 388577S, W705589-S300 Chrysler: 6030441; Black Nylon</p> <p>Head Diameter: 11/16" Stem Diameter: 5/16" Stem Length: 13/16" Radiator Yoke, Fender & Bumper Shield</p> 		 <p>18301 GM: 10185925; Chrysler: 6503768 Black Nylon</p> <p>Head Diameter: 3/4" Stem Length: 11/32" Stem Diameter: 1-3/16" Bumper Fascia</p> 		 <p>12567 GM: 14019205, 14019206, 16514113; Chrysler: 34201621, 6504090 Black Nylon</p> <p>Head Diameter: 11/16" (17.5mm) Stem Length: 9/16" (14.3mm) Fits into 1/4" (6.4mm) Hole Front Fender Mud Skirt & Liner</p> 		 <p>19801 GM: 21077123; Chrysler: 6509103AA Ford: W705436-S300 Black Nylon</p> <p>Head Diameter: 19/32" (15mm) Stem Length: 3/4" (19mm) Fits into 1/4" (6.4mm) Hole Wheel Opening Moulding</p> 		 <p>20880 GM: 11589290; Chrysler: 6509049AA; Ford: W714040-S300 Black Nylon</p> <p>Head Diameter: 18mm Stem Length: 20mm Fits into 6.5mm Hole Air Inlet Grille, Bumper Fascia & Front Brake Caliper Cooling Duct</p> 		 <p>12757 GM: 5973400 Black Nylon</p> <p>Head Diameter: 1" (25.4mm) Shoulder Length: 1/8" (3.2mm) Stem Length: 3/4" (19mm) Fits into 1/2" (12.7mm) Hole Fascia</p> 		 <p>14011 GM: 14019226, 14071289 Black Nylon</p> <p>Head Diameter: 21/32" (16.7mm) Stem Length: 9/16" (14.3mm) Fits into 5/16" (8mm) Hole Radiator Overflow Bottle/Windshield Washer Bottle</p> 		 <p>13994 GM: 20570245, 20635065; Ford: N804614S Black Nylon</p> <p>Head Diameter: 1" (25.4mm) Stem Length: 7/8" (22mm) Fits into 5/16" (8mm) Hole Splash Shield, Seat Cushion & Spare Tire</p> 		 <p>13993 GM: 20510029; Ford: N803362-S; Chrysler: 34202672 Black Nylon</p> <p>Head Diameter: 19/32" (15mm) Stem Length: 7/8" (22mm) Fits into 1/4" (6.4mm) Hole</p> 		 <p>14036 GM: 14074081 Black Nylon</p> <p>Head Diameter: 3/4" Stem Length: 5/16" Stem Length: 1-3/8" Rear Hood Seal</p> 		 <p>18416 GM: 11505044 Black Phosphate</p> <p>M6-1.0 x 35mm Hex Head Sems® Body Bolt Washer O.D.: 17mm Hex: 10mm Class 9.8 Point Type: CA</p> 		 <p>19278 GM: 14090382; Chrysler: 6506161-AA Black Phosphate</p> <p>M4.2-1.41 x 20mm (#8 x 25/32") Hex Head Sems® Tapping Screw Washer O.D.: 20mm (25/32") Hex: 7mm Point Type: AB</p> 		 <p>12693 GM: 11502941, 11506174 Phosphate</p> <p>M6-1.0 x 20mm Hex Head Sems® Body Bolt Washer O.D.: 17mm Hex: 10mm Class 9.8 Point Type: CA</p> 		 <p>12065 GM: 11503834, 20351035 Phosphate</p> <p>M6-1.0 x 25mm Hex Head Sems® Body Bolt Washer O.D.: 17mm Hex: 10mm Class 9.8 Point Type: CA</p> 		 <p>12323 GM: 11504493 Black Polyseal</p> <p>M6-1.0 x 25mm Hex Head Sems® Body Bolt Washer O.D.: 24mm Hex: 10mm Class 9.8 Point Type: CA</p> 		 <p>12336 GM: 11503632 Phosphate</p> <p>M8-1.25 x 25mm Hex Washer Head Body Bolt Washer O.D.: 17mm Hex: 13mm Class 9.8 Point Type: CA</p> 		 <p>13614 GM: 11501188 Phosphate</p> <p>M8-1.25 x 30mm Hex Head Sems® Body Bolt Washer O.D.: 24mm Hex: 13mm Class 9.8 Point Type: CA</p> 		 <p>13705 GM: 11503668 Phosphate</p> <p>M8-1.25 x 35mm Hex Head Sems® Body Bolt Washer O.D.: 24mm Hex: 13mm Class 9.8 Point Type: CA</p> 					
 <p>12757 GM: 5973400 Black Nylon</p> <p>Head Diameter: 1" (25.4mm) Shoulder Length: 1/8" (3.2mm) Stem Length: 3/4" (19mm) Fits into 1/2" (12.7mm) Hole Fascia</p> 		 <p>14011 GM: 14019226, 14071289 Black Nylon</p> <p>Head Diameter: 21/32" (16.7mm) Stem Length: 9/16" (14.3mm) Fits into 5/16" (8mm) Hole Radiator Overflow Bottle/Windshield Washer Bottle</p> 		 <p>13994 GM: 20570245, 20635065; Ford: N804614S Black Nylon</p> <p>Head Diameter: 1" (25.4mm) Stem Length: 7/8" (22mm) Fits into 5/16" (8mm) Hole Splash Shield, Seat Cushion & Spare Tire</p> 		 <p>13993 GM: 20510029; Ford: N803362-S; Chrysler: 34202672 Black Nylon</p> <p>Head Diameter: 19/32" (15mm) Stem Length: 7/8" (22mm) Fits into 1/4" (6.4mm) Hole</p> 		 <p>14036 GM: 14074081 Black Nylon</p> <p>Head Diameter: 3/4" Stem Length: 5/16" Stem Length: 1-3/8" Rear Hood Seal</p> 		 <p>18416 GM: 11505044 Black Phosphate</p> <p>M6-1.0 x 35mm Hex Head Sems® Body Bolt Washer O.D.: 17mm Hex: 10mm Class 9.8 Point Type: CA</p> 		 <p>19278 GM: 14090382; Chrysler: 6506161-AA Black Phosphate</p> <p>M4.2-1.41 x 20mm (#8 x 25/32") Hex Head Sems® Tapping Screw Washer O.D.: 20mm (25/32") Hex: 7mm Point Type: AB</p> 		 <p>12693 GM: 11502941, 11506174 Phosphate</p> <p>M6-1.0 x 20mm Hex Head Sems® Body Bolt Washer O.D.: 17mm Hex: 10mm Class 9.8 Point Type: CA</p> 		 <p>12065 GM: 11503834, 20351035 Phosphate</p> <p>M6-1.0 x 25mm Hex Head Sems® Body Bolt Washer O.D.: 17mm Hex: 10mm Class 9.8 Point Type: CA</p> 		 <p>12323 GM: 11504493 Black Polyseal</p> <p>M6-1.0 x 25mm Hex Head Sems® Body Bolt Washer O.D.: 24mm Hex: 10mm Class 9.8 Point Type: CA</p> 		 <p>12336 GM: 11503632 Phosphate</p> <p>M8-1.25 x 25mm Hex Washer Head Body Bolt Washer O.D.: 17mm Hex: 13mm Class 9.8 Point Type: CA</p> 		 <p>13614 GM: 11501188 Phosphate</p> <p>M8-1.25 x 30mm Hex Head Sems® Body Bolt Washer O.D.: 24mm Hex: 13mm Class 9.8 Point Type: CA</p> 		 <p>13705 GM: 11503668 Phosphate</p> <p>M8-1.25 x 35mm Hex Head Sems® Body Bolt Washer O.D.: 24mm Hex: 13mm Class 9.8 Point Type: CA</p> 															
 <p>18416 GM: 11505044 Black Phosphate</p> <p>M6-1.0 x 35mm Hex Head Sems® Body Bolt Washer O.D.: 17mm Hex: 10mm Class 9.8 Point Type: CA</p> 		 <p>19278 GM: 14090382; Chrysler: 6506161-AA Black Phosphate</p> <p>M4.2-1.41 x 20mm (#8 x 25/32") Hex Head Sems® Tapping Screw Washer O.D.: 20mm (25/32") Hex: 7mm Point Type: AB</p> 		 <p>12693 GM: 11502941, 11506174 Phosphate</p> <p>M6-1.0 x 20mm Hex Head Sems® Body Bolt Washer O.D.: 17mm Hex: 10mm Class 9.8 Point Type: CA</p> 		 <p>12065 GM: 11503834, 20351035 Phosphate</p> <p>M6-1.0 x 25mm Hex Head Sems® Body Bolt Washer O.D.: 17mm Hex: 10mm Class 9.8 Point Type: CA</p> 		 <p>12323 GM: 11504493 Black Polyseal</p> <p>M6-1.0 x 25mm Hex Head Sems® Body Bolt Washer O.D.: 24mm Hex: 10mm Class 9.8 Point Type: CA</p> 		 <p>12336 GM: 11503632 Phosphate</p> <p>M8-1.25 x 25mm Hex Washer Head Body Bolt Washer O.D.: 17mm Hex: 13mm Class 9.8 Point Type: CA</p> 		 <p>13614 GM: 11501188 Phosphate</p> <p>M8-1.25 x 30mm Hex Head Sems® Body Bolt Washer O.D.: 24mm Hex: 13mm Class 9.8 Point Type: CA</p> 		 <p>13705 GM: 11503668 Phosphate</p> <p>M8-1.25 x 35mm Hex Head Sems® Body Bolt Washer O.D.: 24mm Hex: 13mm Class 9.8 Point Type: CA</p> 																									
 <p>12336 GM: 11503632 Phosphate</p> <p>M8-1.25 x 25mm Hex Washer Head Body Bolt Washer O.D.: 17mm Hex: 13mm Class 9.8 Point Type: CA</p> 		 <p>13614 GM: 11501188 Phosphate</p> <p>M8-1.25 x 30mm Hex Head Sems® Body Bolt Washer O.D.: 24mm Hex: 13mm Class 9.8 Point Type: CA</p> 		 <p>13705 GM: 11503668 Phosphate</p> <p>M8-1.25 x 35mm Hex Head Sems® Body Bolt Washer O.D.: 24mm Hex: 13mm Class 9.8 Point Type: CA</p> 																																			

18 Varieties, 310 Pieces

Visit www.auveco.com for more information or to place an order.
Questions or concerns. Contact us at 1-800-354-9816 or mail@auveco.us

6719EPA					ESSENTIAL PRODUCTS ASSORTMENT PROGRAM Domestic Splash Shield #2					Auveco® PRODUCTS				
 <p>21098 Chrysler: 6508197-AA; Ford: W706092-S300 Black Nylon</p> <p>Head Diameter: 18mm Stem Length: 18mm Fits into 6.4mm Hole Front Air & Heat Shield & Splash Guard</p> 	 <p>14019 Ford: N803421-S; Chrysler: 6501590 Black Nylon</p> <p>Head Diameter: 1" (25.4mm) Shoulder Length: 1/8" (3.2mm) Stem Length: 7/8" (22mm) Fits into 5/16" (8mm) Hole Splash Shield & Fascia</p> 	 <p>20458 Chrysler: 6506132-AA Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 17mm Fits into 7mm Hole Side Radiator Shield</p> 	 <p>16859 Nissan: 66860-01W01; GM: 94051993 Black Nylon</p> <p>Head Diameter: 14mm (9/16") Stem Length: 16mm (5/8") Fits into 6mm (1/4") Hole Cowl Panel to Reinforcement Plate & Engine Splash Shield</p> 	 <p>19418 GM: 480534; Ford: 384051-S Black Nylon</p> <p>Head Size: 13/32" x 1" Stem Diameter: 9/32" Stem Length: 9/16" Cowl Insulation, Splash Shield & Wire Retainer</p> 										
 <p>12766 GM: 22512276 Black Nylon</p> <p>Head Diameter: 7/8" Stem Diameter: 7/16" Stem Length: 13/16" Front End Stone Shield</p> 	 <p>10831 GM: 332364, 14093311, 20732399; Ford: 389358, W701259-S300; Chrysler: 3691590, 6031321, 6505411-AA; AMC: 4004569 Black Nylon</p> <p>Head Diameter: 11/16" Stem Diameter: 5/16" Stem Length: 5/8" Fender & Bumper Shield</p> 	 <p>12137 GM: 1619321 Black Nylon</p> <p>Head Diameter: 1" Stem Diameter: 7/16" Stem Length: 13/16" Radiator Apron Panel</p> 	 <p>17664 GM: 10121502; Ford: 390018-S; Chrysler: 6033082, 6033840 Black Nylon</p> <p>Head Diameter: 11/16" Stem Diameter: 5/16" Stem Length: 1-1/16" Shield, Battery Post Cable & Engine Splash Shield & Radiator Side Air Baffle</p> 	 <p>15543 GM: 22547243, 11610086; Chrysler: 6501916 Black Nylon</p> <p>Head Diameter: 7/8" Stem Diameter: 5/16" Stem Length: 1-3/32" Splash Shield, Wheel Well Cover & Hood Seal</p> 										
 <p>20991 GM: 11589292 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 20mm Fits into 8.5mm Hole Bumper Fascia, Flares & Air Dam</p> 	 <p>17216 GM: 21030249; Ford: N807389S; Chrysler: 6503598 Black Nylon</p> <p>Head Diameter: 20mm Stem Length: 20mm Fits into 8mm Hole Air Baffle to Under Carriage</p> 	 <p>14020 Ford: N802781-S; GM: 14093088 Black Nylon</p> <p>Head Diameter: 1" (25.4mm) Stem Length: 7/8" (22mm) Fits into 1/4" (6.4mm) Hole Splash Shield & Fascia</p> 	 <p>22348 Ford: W702413-S450B Black Steel Finish</p> <p>M5-2.2 x 20mm Torx® Pan Head Sems® Tapping Screw Drive Size: T30 Washer Diameter: 20mm</p> 	 <p>22352 Hyundai: 84145-26000 Black Nylon</p> <p>Hex Size: 14mm Flange Diameter: 30mm Overall Height: 10mm Wheel Well Liner & Splash Shield Nylon Nut</p> 										
 <p>12160 Ford: N606676-S2, S100 Phosphate</p> <p>M6-1.0 x 22mm High Hex Head Sems® Body Bolt with Dog Point Washer O.D.: 19mm Hex: 8mm Class 9.8</p> 	 <p>12324 GM: 11503800 Phosphate</p> <p>M6-1.0 x 20mm Hex Washer Head Body Bolt Washer O.D.: 13mm Hex: 10mm Class 9.8 Point Type: CA</p> 	 <p>12335 Ford: N606677-S36 Zinc & Yellow</p> <p>M6-1.0 x 28mm Hex Head Sems® Body Bolt with Dog Point Washer O.D.: 19mm Hex: 8mm Class 9.8</p> 												

18 Varieties, 310 Pieces

6720EPA					ESSENTIAL PRODUCTS ASSORTMENT PROGRAM Specialty Screws					Auveco® PRODUCTS				
 <p>2771 Chrome</p> <p>#8 x 5/8" Phillips Oval Head Sems® Countersunk Washer Point Type: A/AB Head Size: #6</p> 	 <p>11787 Black Phosphate</p> <p>#8 x 5/8" Phillips Oval Head Sems® Countersunk Washer Point Type: A/AB Head Size: #6</p> 	 <p>2751 Chrome</p> <p>#8 x 3/4" Phillips Oval Head Sems® Countersunk Washer Point Type: A/AB Head Size: #6</p> 	 <p>11788 Black Phosphate</p> <p>#8 x 3/4" Phillips Oval Head Sems® Countersunk Washer Point Type: A/AB Head Size: #6</p> 	 <p>2772 Chrome</p> <p>#8 x 1" Phillips Oval Head Sems® Countersunk Washer Point Type: A/AB Head Size: #6</p> 										
 <p>11789 Black Phosphate</p> <p>#8 x 1" Phillips Oval Head Sems® Countersunk Washer Point Type: A/AB Head Size: #6</p> 	 <p>11790 Black Phosphate</p> <p>#8 x 1-1/4" Phillips Oval Head Sems® Countersunk Washer Point Type: A/AB Head Size: #6</p> 	 <p>11791 Black Phosphate</p> <p>#10 x 3/4" Phillips Oval Head Sems® Countersunk Washer Point Type: A/AB Head Size: #8</p> 	 <p>11792 Black Phosphate</p> <p>#10 x 1" Phillips Oval Head Sems® Countersunk Washer Point Type: A/AB Head Size: #8</p> 	 <p>2775 Chrome</p> <p>#8 x 7/8" Phillips Oval Head Sems® Flush Washer Point Type: A/AB Head Size: #6</p> 										
 <p>11455 Black Phosphate</p> <p>#8 x 3/4" Phillips Oval Head Sems® Countersunk Washer Point Type: #2 Drill Head Size: #6</p> 	 <p>11451 Chrome</p> <p>#8 x 1" Phillips Oval Head Sems® Countersunk Washer Point Type: #2 Drill Head Size: #6</p> 	 <p>11457 Black Phosphate</p> <p>#8 x 1-1/4" Phillips Oval Head Sems® Countersunk Washer Point Type: #2 Drill Head Size: #6</p> 	 <p>12217 Black E-Coat</p> <p>#8 x 1-1/4" Phillips Flat Top Washer Head Point Type: A/AB Washer O.D.: 13/32"</p> 	 <p>12218 Black E-Coat</p> <p>#8 x 1-1/2" Phillips Flat Top Washer Head Point Type: A/AB Washer O.D.: 13/32"</p> 										
 <p>12955 Black E-Coat</p> <p>#10 x 1-1/4" Phillips Flat Top Washer Head Point Type: A/AB Washer O.D.: 15/32"</p> 	 <p>12820 Black Phosphate</p> <p>#8 x 3/4" Phillips Pan Head Sems® Point Type: A/AB Washer O.D.: 1/2"</p> 													

17 Varieties, 650 Pieces