

Items Available for Immediate Shipment

Photos Actual Size

Tesla Push-Type Retainer & Rivet



25112
 (Tesla: 1128034-00-B)
 Engine Under Cover
 Push-Type Retainer
 Head Diameter: 18mm
 Stem Length 16mm
 Fit into 8mm Hole
 Tesla 3 2017 - On
 UNIT PACKAGE: 25



25179
 (Tesla: 1063943-00-A)
 Zinc Finish
 Body Panel Blind Rivet
 Diameter: 6.5mm
 Grip: 2mm-4.5mm
 Flange Diameter: 13mm
 Steel Rivet & Mandrel
 Tesla 3, S, X & Y 2016 - On
 UNIT PACKAGE: 15

Additional Tesla application information on page 3

Solder Pellets

- Pre-measured solder pellets provide the proper amount of solder per connection
 - Color-coded to industry standards for proper identification
- Flux core aids in preventing dirt and contaminants hindering the solder process
- Provides excellent conductivity and termination without the need of crimping tools
 - Used with closed-end battery terminals or lugs



25170



25163



25164




25165



25166



25167



25168



25169

Auveco Part No.	Cable Size	Color	Unit Pkg.
25170	6 Ga.	Gray	15
25163	4 Ga.	Gray	15
25164	2 Ga.	Green	15
25165	1 Ga.	Pink	15
25166	1/0 Ga.	Black	10
25167	2/0 Ga.	Orange	10
25168	3/0 Ga.	Purple	10
25169	4/0 Ga.	Yellow	10

Items Available for Immediate Shipment

Photos Actual Size

Heavy Wall Heat Shrink Tubing with Sealant

- Rigid heavy wall polyolefin shrink tubing provides the highest strain relief, abrasion and corrosion resistance
 - Flame retardant – meets MIL Spec 23053/15 Class 1 requirements
 - 3:1 shrink ratio



25171




25172



25173



25174



25175



25176

Auveco Part No.	Wire Range	Color	Size	Pre-Shrunk I.D.	Post-Shrunk I.D.	Max. Wall Thickness	Pre-Cut Length	Unit Pkg.
25171	12-4 Ga.	Black	1/2"	0.510"	0.160"	0.080"	1-1/2"	10
25172	12-4 Ga.	Red	1/2"	0.510"	0.160"	0.080"	1-1/2"	10
25173	8-1 Ga.	Black	3/4"	0.750"	0.220"	0.090"	1-1/2"	10
25174	8-1 Ga.	Red	3/4"	0.750"	0.220"	0.090"	1-1/2"	10
25175	2-4/0 Ga.	Black	1"	1.100"	0.375"	0.120"	1-1/2"	10
25176	2-4/0 Ga.	Red	1"	1.100"	0.375"	0.120"	1-1/2"	10

Items Available for Immediate Shipment

Photos Actual Size

Tesla Application Updates Push-Type & Push-On Retainers and Rivet



19453

(Honda: 90505-SX0-003;
Tesla: 1006535-00-A)
Black Nylon

Garnish Side Protector, Front Bumper,
Wheel Apron & Engine Under Cover
Push-Type Retainer
Head Diameter: 18mm
Stem Length: 15mm (Excluding the Pin)
Fits into 8mm Hole
Honda Odyssey 1995 - On
Tesla S 2016 - On

UNIT PACKAGE: 15



20349

(Toyota: 90467-08185
Nissan: 01553-09611;
Tesla: 1006521-00-A)
Black Nylon

Engine Under Cover, Bumper, Wheel Apron &
Hood Trim Push-Type Retainer
Head Diameter: 18mm
Stem Length: 10mm (Excluding the Pin)
Fits into 8mm Hole
Lexus & Toyota 2002 - On; Nissan 1994 - On
Tesla S 2012 - On; 3 2016 - On

UNIT PACKAGE: 15



20765

(Jeep: 6507055-AA, 6507686-AA;
Tesla: 1016078-00-A)
Yellow Nylon

Door Panel & Trunk Trim Retainer
Top Head Diameter: 15mm
Bottom Head Diameter: 18mm
Stem Diameter: 10mm
Stem Length: 15mm
Overall Length: 23mm
Jeep Grand Cherokee 2003 - On
Tesla S 2012 - On

UNIT PACKAGE: 50



20633

(Toyota: 90467-10188;
Tesla: 1011813-00-A)
Turquoise Nylon

Trim Panel & Liftgate Trim Retainer
Top Head Diameter: 13mm
Middle Head Diameter: 16mm
Bottom Head Diameter: 18mm
Stem Size: 8.5mm x 9mm
Stem Length: 14mm
Overall Length: 20mm
Sienna 2004 - On
Tesla S 2012 - On; 3 2016 - On

UNIT PACKAGE: 25



21169

(Ford: W713297-S300;
Tesla: 1025401-00-A)
White Nylon

Door & Trunk Trim Panel
Retainer with Sealer
Top Head Diameter: 16mm
Bottom Head Diameter: 22mm
Stem Diameter: 11mm
Stem Length: 17mm
Overall Length: 28mm
Ford Flex 2009
Tesla S 2012 - On

UNIT PACKAGE: 25

Metric Push-On Retainers For Non-Threaded Fasteners



12118



12119

Auveco Part No.	Stud Size	Diameter	Finish	Unit Pkg.
12118	3.2mm	9.5mm	Zinc	100
12119	4mm	11mm	Zinc	100
Tesla: 1067906-00-A				

17421

(**Tesla: 1028719-00-A**)



Photo not actual size

Ultra Grip Rivet
Diameter: 3/16"
Flange Diameter: 3/8"
Grip Range: 1/16" - 17/64"
Rivet Length: 13/32"
Aluminum Rivet & Mandrel
Tesla 3, S, X & Y

UNIT PACKAGE: 25